

# March-April SALEFLYER 2014



Page 3



**Pit Cart Chassis Kit**  
**ALL10600**



Page 19



**Ultra Wash**  
**TXC99018**



Page 10



**Aluminum Transmission**  
**BR170600**



Page 6



**4-1 Gauge Panels With 5" Tachometer**  
**QRP61-6751**



Page 21



**SHX Shock Fluid**  
**JGP50040**



**Synthetic HR 10W-40**  
**JGP03906**



**Boxes Highlighted In Red Denote New Manufacturers This Issue**

**Please Note:**

- Some items not legal for sale or use on pollution controlled vehicles • Not responsible for typographical errors

Manufacturer	Page
3X Chemistry	18,19
Airaid	17
Allstar Performance	3,4,5,56
Alpinestars	11
B&M	20,52
BBK	51
Braille Battery	23
Brinn	10
Calico	45
Crower	47
Dart	22
Design Engineering	44
Demon	46
Driven	21
Dupli•Color	16
Dura-Bond	47
Eagle	48
Eastwood	26,27
Extang	39
FAST	49
Flowmaster	55

Genesis Racing Shocks	16
GT Performance	28,29
H3R Performance	16
Hawk Performance	17
Hooker Harness	17,43
JAZ Products	50
Lokar	22
Longacre	9
March Performance	21
Marshall	47
Mickey Thompson	27
Micro Temp	14
Penske	50
Performance Distributors	9
Phoenix Systems	44
Pit Pal	11
POR 15	24,25
Powerbond	45
Powermaster	45
Pro Shocks	44
PRW	7
QA1	8,9

Quickcar	6,7,42
Quick Time	50
Racequip	11
Raceceiver	17
Rollmaster	48
SLP Performance Parts	54
Sparco	10
Steeda	53
Superchips	30
Sweet	14
Tanner	47
Triple XXX	12,13,45
Transmission Specialties	49
Turbosmart	45
Trend Performance	54
Ultra•Shield	15
Ultra Cool Brake Fans	44
Waterman Racing Components	11
Weathertech	20
Wehrs Machine	15
Wilwood	14
Yukon Gear & Axle	27

## 2014 CHEVY SILVERADO/GMC SIERRA FEATURED NEW PRODUCTS PAGE 31-42

Manufacturer	Page
Airaid	39
Airlift	37
Auto Ventshade	30
Bedrug	32
Borla Exhaust	42
Bushwacker	34
Bully Dog	41
Carr	39

Corsa	41
DeeZee	37
Diablsport	40
Dynomax	35
Extang	40
Flowmaster	32
Husky Liners	31
Hypertech	41
K&N	42

Magnaflow	37
Performance Accessories	32
Pop & Lock	41
Readylift	39
Rough Country	42
Skyjacker	38
Timbren SES	32
Weathertech	36
Westin	34

### New Brands Added to Our Product Lines

We are constantly adding new brands to our inventory selection. Listed below are the latest additions.




## 2014 CHEVY SILVERADO/GMC SIERRA FEATURED NEW PRODUCTS

*We are currently featuring many new products for the Chevy Silverado/GMC Sierra trucks. Whether it's a free-flowing exhaust system, a new induction system, better handling, improved mileage or performance or styling touches, the special section of our new sales flyer presents all the latest item to accessorize the Silverado and Sierra. Check out the special section starting on page 31.*



## Dirt Skirtz

Minimize clay build up! Unique material is very flexible and virtually eliminates clay build up so there is no more need to adjust set up for the added weight of clay. Install on the bottom side of dirt car deck panels, choose width based on panel to cover, install supplied Velcro strips and attach Dirt Skirtz. To clean (if necessary) simply un-Velcro and wash.



Part No.	Description	Price
ALL23310	12" x 60"	
ALL23312	15" x 60"	
ALL23314	21" x 60"	

## Pit Cart Chassis Kit

ALL10600

Universal kit is a good starting point for building your own custom pit cart. Welding is required and the kit includes all the necessary components to get you off the ground with a rolling platform. Includes a pre-welded front cross member, spindles, steering components, 1" x 2" steel frame tubing with main rails drilled for rear axle, pre-welded rear axle assembly, wheels, tires and a handle.



## Tapered Spacers **NEW! SIZES!**

Steel tapered spacers make shock or radius rod mounting neat and strong, and help prevent binding. Package of 2.


Length	Part No.	Price
<b>5/8" I.D.</b>		
1/4"	ALL18597	
1/2"	ALL18598	
3/4"	ALL18599	
<b>3/4" I.D.</b>		
1/2"	ALL18587	
3/4"	ALL18588	
1"	ALL18589	



## Direct Fit Radiators

Your Choice -

Aluminum direct fit radiators provide increased cooling over original copper radiator. Designed for performance vehicles, features include machined billet aluminum filler necks, fully welded construction and two rows of large 1" tubes properly spaced for maximum airflow and cooling on the street even at lower speeds. Built-in automatic transmission coolers have 1/4" NPT fittings. O.E. fan shrouds may require modification for installation.



Part No.	Description
ALL30300	1967-69 GM F-Body (Camaro and Firebird) PS Outlet, DS Inlet, 31"W x 19-1/2"H overall, 23"W x 18"H core
ALL30301	1970-81 GM F-Body (Camaro and Firebird) PS Outlet, DS Inlet, 26"W x 19-1/2"H overall, 20-1/2"W x 18"H core
ALL30302	1982-92 GM F-Body (Camaro and Firebird) PS Outlet, DS Inlet, 30"W x 19-1/2"H overall, 24-1/2"W x 18"H core
ALL30304	1968-77 GM A-Body (Chevelle, Cutlass, Lemans) PS Outlet, DS Inlet, 34"W x 19-1/2"H overall, 28-1/2"W x 18"H core
ALL30306	1966-80 Mopar DS Outlet, PS Inlet, 29"W x 19-1/2"H overall, 22-1/2"W x 18"H core
ALL30308	1964-66 Mustang DS Outlet, PS Inlet, 19-3/4"W x 21"H overall, 18"W x 16"H core
ALL30310	1979-93 Mustang DS Outlet, PS Inlet, 29-3/4"W x 19-1/2"H overall, 24-1/2"W x 18"H core

## Fill Plug Kit


ALL36170

Weld-In kit includes a bung with 3" opening and has an easy grip cap with O-ring for positive seal.



## Fuel Cell Cap And Bolt-In Bung Kits

Billet aluminum neck looks good and provides a positive seal. The filler neck is raised to help prevent dirt and debris from falling into cell causing fuel system contamination while the large opening helps when refueling. Kit includes mounting hardware.



ALL40133

Part No.	Description	Price
ALL40133	12-Bolt JAZ/RCI Style	
ALL40134	6-Bolt JAZ Style	





## Flush Head Self-Ejecting Allen Buttons

Description	10-Pack Part No.	Price	50-Pack Part No.	Price
<b>5/16"</b>				
.500" Long, Steel	ALL19130		ALL19131	
.550" Long, Steel	ALL19132		ALL19133	
<b>7/16"</b>				
.500" Long, Steel	ALL19136		ALL19137	
.550" Long, Steel	ALL19138		ALL19139	

## Flush Head Allen Buttons

Description	10-Pack Part No.	Price	50-Pack Part No.	Price
<b>7/16"</b>				
.500" Long, Steel	ALL19142		ALL19143	
.550" Long, Steel	ALL19144		ALL19145	

## Oval Head Allen Buttons

Description	10-Pack Part No.	Price	50-Pack Part No.	Price
<b>5/16"</b>				
.500" Long, Steel	ALL19152		ALL19153	
.550" Long, Steel	ALL19154		ALL19155	
<b>7/16"</b>				
.500" Long, Steel	ALL19162		ALL19163	
.550" Long, Steel	ALL19164		ALL19165	
.500" Long, Aluminum	ALL19172		ALL19173	
.500" Long, Aluminum*	ALL19176		ALL19177	

\* Black

## Oval Head Allen Buttons

Description	10-Pack Part No.	Price	50-Pack Part No.	Price
<b>7/16"</b>				
.500" Long, Black Aluminum	ALL19178		ALL19179	

## Canister Style Ignition Coil

ALL81234

45,000 high volt, oil filled coil for electronic breakerless ignitions has low primary resistance and 112:1 turn ratio for improved throttle response and more power at higher rpms. Coil fits all standard O.E.M. brackets or Allstar ALL81236 coil bracket. Black only.



## SB Chevy Crank Socket

ALL96424

Steel socket for rotating the crankshaft during engine assembly features a 1" hex and a 1/2" ratchet drive.



## Battery Hold Down Kit For Optima

ALL76107

Aluminum hold down kit provides an attractive option for keeping Optima 34/78 series batteries in place.

Battery Not Included



## Test Leads With Alligator Clips

ALL76216

30" long test leads are color coded red and black. Clips are 5 amp rated.



## Aluminum Wheel Spacers

Change wheel offset without changing wheels! Universal design fits 5 on 4-1/2", 5 on 4-3/4" and 5 on 5" patterns. Uses 5/8" stud slot to aid in centering.

Part No.	Description	Price
ALL44216	1/4"	
ALL44217	1/2"	
ALL44218	3/4"	
ALL44219	1"	



## Plastic Wheel Covers

High impact plastic wheel covers secure to most popular wheels equipped with tabs or cover retainers. Covers include mounting fasteners.

Part No.	Description	Price
ALL44166	Aero Style Cover	
ALL44167	Bassett Style Cover	



ALL44166

## Coil Bracket

ALL81326

Universal coil mount for standard size canister style ignition coils up to 2-1/4", includes threaded cross bolt to aid in mounting.







## Shock Protectors

Shock Protectors add extra protection from rocks and debris to your shock body. Plastic protector simply snaps onto your shock body. May need to be cut to length. Sold each.

Part No.	Description	Price
ALL64202	2" Standard Body Shocks	
ALL64203	1-5/8" Small Body Shocks	



## Axle Straps With Delta Rings

Axle straps or winch straps work great for wrapping around the chassis or axle tubes when securing a vehicle to the trailer or when winching a vehicle. Adjustable protective sleeve can be positioned as needed to help prevent strap damage from sharp edges. The working load limit is the maximum load a strap should be subjected to during normal use.



Part No.	Width	Length	Hook Type	Working Load Limit	Price
ALL10203	2"	21"	Delta Ring	3,300 Lbs	
ALL10207	2"	33"	Delta Ring	3,300 Lbs	

## D-Ring Backing Plate

ALL60074

Backing plate strengthens and reinforces the mounting area of Allstar recessed D-rings. Plate may also be used as a template when installing D-rings and is bare steel allowing plate to be welded in place. Approximately 1/4" thick.



## Steel Lanyards

Steel lanyards feature 1/16" diameter cable with 3/4" loops on each end for light duty applications such as hood pins or retention of similar type fasteners to prevent loss.



Part No.	Description	Price
ALL18461	6" Long	
ALL18463	10" Long	

## Nylon Lanyards

ALL18468

Nylon lanyards feature a snap together open loop on one end to quickly and easily secure a variety of components. Once snapped together, loop is permanently locked. 10" long, package of four.



## Quick Release T-Handle Pins

Positive lock quick release pins hold tightly in place until the handle button is depressed allowing the pin to be inserted or removed into or out of a hole with ease. Handles are made from 380 die cast aluminum, shanks are made from 4130 steel. Each pin is equipped with a stainless steel split ring allowing the option to attach a cable assembly.



Part No.	Description	Price
ALL60300	1/4" x 1"	
ALL60301	1/4" x 1-1/2"	
ALL60302	1/4" x 2"	
ALL60304	5/16" x 1"	
ALL60306	5/16" x 2"	
ALL60308	5/16" x 3"	
ALL60310	3/8" x 1"	
ALL60312	3/8" x 2"	
ALL60314	3/8" x 3"	
ALL60318	1/2" x 2"	
ALL60320	1/2" x 2-1/2"	
ALL60322	1/2" x 3"	
ALL60326	5/8" x 2"	
ALL60328	5/8" x 2-1/2"	
ALL60330	5/8" x 3"	

## Loading Couplers

Loading coupler is a combination u-joint and a non-locking steering coupler which slips over the splined end of the steering shaft for easier loading and unloading of cars in enclosed trailers through the use of a remote steering shaft. Coupler has a built-in u-joint that accepts 3/4" steering shaft or tubing.



Part No.	Description	Price
ALL52306	19 Spline For Allstar / Sweet	
ALL52307	20 Spline For Woodward	

## Clutch Alignment Tools

Splined, high-impact plastic tools are helpful when aligning the clutch disc on the flywheel for proper insertion of the transmission input shaft.



Part No.	Description	Price
ALL14290	1-1/8" Diameter, 10-Spline	
ALL14292	1-1/8" Diameter, 26-Spline	

## Leaf Spring U-Bolt

ALL68344

Leaf spring u-bolt fits 3" axle tubes, has a 1/2" diameter and is 10" long. Heat treated steel bolt is sold each.







## Standard Gauge Panels

Standard gauge panels feature quality QuickCar 2-5/8" diameter mechanical gauges. Panels are sold completely pre-wired for easy installation and include all necessary senders.

### 2-Gauge Panel

QRP61-6701

Includes gauges for oil pressure and water temperature. Panel is 4-1/2" wide x 4-1/2" high.



### 3-Gauge Panel

QRP61-6711

Includes gauges for oil pressure, water temperature and oil temperature. Panel is 10-1/2" wide x 4-1/2" high.



### 3-Gauge Panel

QRP61-6712

Includes gauges for oil pressure, water temperature and fuel pressure. Panel is 10-1/2" wide x 4-1/2" high.



### 4-Gauge Panel

QRP61-6721



Features gauges for oil pressure, water temperature, oil temperature and fuel pressure. Panel is 13-5/8" wide x 4-1/2" high.

### Vertical Mini Brake Bias Gauge

QRP61-105

Fitted with two 1-1/2" diameter, liquid-filled pressure gauges that read from 0-1,000 PSI, allowing driver to track pressure at both the front and rear calipers. Panels include bleeders to evacuate air from the system.



## 2-1 Gauge Panels With 5" Tachometer

QRP61-6731

Includes a 5" diameter QuickCar 10,000 RPM recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure and water temperature, and accompanying warning lights. Panel is 11-7/8" wide x 4-1/2" high.



## 3-1 Gauge Panels With 5" Tachometer

QRP61-6741

Incorporates a 5" diameter QuickCar 10,000 RPM recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature and oil temperature, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.



## 3-1 Gauge Panels With 5" Tachometer

QRP61-6742

Uses a 5" diameter QuickCar 10,000 RPM recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature and fuel pressure, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.



## 4-1 Gauge Panels With 5" Tachometer

QRP61-6751

Features QuickCar 5" diameter, 10,000 RPM recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature, oil temperature and fuel pressure, and accompanying warning lights. Panel is 18-3/8" wide x 4-1/2" high.







## 2-1 Gauge Panels With 3-3/8" Tachometer

QRP61-67313

Includes a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure and water temperature, and accompanying warning lights. Panel is 11-7/8" wide x 4-1/2" high.



## 3-1 Gauge Panels With 3-3/8" Tachometer

QRP61-67413



Incorporates a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature and oil temperature, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.

## 3-1 Gauge Panels With 3-3/8" Tachometer

QRP61-67423



Features a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature and fuel pressure, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.

## 4-1 Gauge Panels With 3-3/8" Tachometer

QRP61-67513



Combines a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature, oil temperature and fuel pressure, and accompanying warning lights. Panel is 18-3/8" wide x 4-1/2" high.



Call For  
Pricing

## Pro Series Aluminum GM LS Roller Rocker Arms

Pro series aluminum roller rocker arm system for GM LS engines are manufactured from 6061-T6 billet aluminum extrusions, CNC machined and finished by hand. Features a large trunnion machined to allow for larger springs and retainers, full cage friction reducing needle bearings, Cr 40 steel nose rollers and heat-treated shafts, CNC machined pushrod cups, and an internal oiling system for long lasting performance. Includes a set of 16 PRW RockerLocs. Set of 16



## Pro Series Stainless Steel GM LS Roller Rocker Arms

Manufactured from a premium grade 15-5ph stainless steel that is high in nickel and chromium that resists deflection and fatigue. Features full cage friction reducing needle bearings and an extra-large trunnion, clearance for large diameter valve springs, heat-treated Cr40 steel rollers and shafts, Rocker-Loc adjusters, and CNC machined pushrod cups. Hand polished and a clear Nitron surface treatment. Sold in set of 16.



Part No.	Description
PQX0334618	GM LS1 5.7L 1997-08, 1.7 Ratio With 3/8" Studs & 5/16" GP, Set of 16
PQX0334619	GM LS1 5.7L 1997-08, 1.8 Ratio With 3/8" Studs & 5/16" GP, Set of 16

Part No.	Description
PQX0234611	GM LS1 5.7L, 1997-08, 1.7 Ratio With 3/8" Studs & 5/16" GP, Set of 16
PQX0234612	GM LS1 5.7L, 1997-08, 1.8 Ratio With 3/8" Studs & 5/16" GP, Set of 16
PQX0234631	GM LS3 6.0L/6.2L, 1997-Up, 1.7-Ratio 8mm stud, Offset Intake, Set of 16
PQX0236431	GM LS1 5.7L, 1997-08, 1.7 Ratio 8mm stud, (GP required) Set of 16





## 51-Series, 5 in. Coil-Over Kit

QA1CK5109

Complete coil-over kit using 5", diameter springs. Kit includes; new aluminum sleeve, spring seat adjuster, spring cap, retainer pin, jam nut, snap rings, and wire ties. Sold as a kit.



## Ball Joint Socket Style Spanner Wrench Kit

QA11891-106

Ball joint socket style spanner kit includes a spanner socket and hex key. Sold as a kit.



## Ultimate Ball Joint Housing

QA11210-503

GM 4-bolt style replacement ultimate ball joint housing. Fits large upper ball joint QA1 1210-103.



## Ultimate Ball Joint +.500 Longer

Now available in .500" longer than stock complete assembly used to raise the car's roll center. Available in bolt-in, press-in, and screw-in styles for most popular circle track racing applications. Sold Individually.



Part No.	Description	Price
QA11210-201S	Chrysler Upper Screw-In, Small Chrysler, Fits Upper And Lower Tapers In Pinto Spindle	
QA11210-205B	GM Upper Bolt-In, 1971-96 Impala, 1970-81 Camaro/Firebird, 1973-83 Chevelle/Malibu, 1973-88 Monte Carlo, 1975-79 Nova	
QA11210-209P	GM Lower Press-In, 1970-02 Camaro/Firebird, 1973-88 Chevelle/Malibu, 1971-96 Impala, 1973-88 Monte Carlo, 1975-79 Nova	
QA11210-215S	GM Lower Screw-In, 1971-76 Impala, Popular Late Models, Most Wide Type Cars	
QA11210-217S	Chrysler Lower Screw-In, Large Chrysler, Nearly All Strut Cars	

## Extended Length Ball Joint Stud

Replacement QA1 ball joint stud that is longer than stock. Sold individually.

Part No.	Description	Price
QA19029-209	Ball Joint Stud +.500 For 1210-109,1210-209P, Each	
QA19029-218	Ball Joint Stud +.100 For 1210-108,1210-218P, Each	
QA19029-215	Ball Joint Stud +.500 For 1210-102,1210-112,1210-215S, 1210-215P, Each	
QA19029-217	Ball Joint Stud +.500 For 1210-106,1210-217S, Each	



## 26 Series Sealed Hyperscrew Monotube Shock Absorbers

One-piece monotube 26 series shock absorbers feature a sealed Hyperscrew making them IMCA legal. Per IMCA rules the gas pressure is only adjustable by QA1 or an authorized QA1 dealer. The 26 series shock absorbers are suited to a wide variety of track conditions, or for use as a traction shock in various applications. They are constructed using an electroless nickel plated body and are completely encapsulated, sealing out dirt and debris. The 26 series shocks are made in the USA and 100% dyno tested.



Part No.	Comp/Rebound	Ext. Length	Comp Length	Description	Price
QA126A73-5M	3/5	13.70"	20.70"	7" Linear Sealed	
QA126A73-7M	3/7	13.70"	20.70"	7" Linear Sealed	
QA126A74M	4/4	13.70"	20.70"	7" Linear Sealed	
QA126A75-3M	5/3	13.70"	20.70"	7" Linear Sealed	
QA126A75M	5/5	13.70"	20.70"	7" Linear Sealed	
QA126A76-2	6/2	13.70"	20.70"	7" Digressive Sealed	
QA126A912-2M	12/2	15.70"	24.70"	9" Linear Sealed	
QA126A93-5M	3/5	15.70"	24.70"	9" Linear Sealed	
QA126A94M	4/4	15.70"	24.70"	9" Linear Sealed	
QA126A95M	5/5	15.70"	24.70"	9" Linear Sealed	
QA126A96-2M	6/2	15.70"	24.70"	9" Linear Sealed	
QA126A97-2M	7/2	15.70"	24.70"	9" Linear Sealed	
QA126A98-2M	8/2	15.70"	24.70"	9" Linear Sealed	

## Stocking NEW Rates!

### Coil Over Springs

Part No.	Description	Price
<b>2.5" I.D. Coil-Over Springs</b>		
QA19-300	2.5" I.D. X 9" Tall, 300 Lb/Rate, Silver, Each	
QA110-325	2.5" I.D. X 10" Tall, 325 Lb/Rate, Silver, Each	
QA110-375	2.5" I.D. X 10" Tall, 375 Lb/Rate, Silver, Each	
<b>Tapered GM Pro Coil Front Springs</b>		
QA110GSF500	3.50" I.D. X 10" Tapered, 500 Lb/Rate, Silver, Each	
QA111GBF300	4.125" I.D. X 11" Tapered, 300 Lb/Rate, Silver, Each	







## 27 Series Sealed Hyperscrew Steel Monotube Shock Absorbers

Similar to the tried and true 26 series shocks, but with stock mounting options for popular Street Stocks, Hobby Stocks, Mini Stocks and other classes requiring a stock mount shock. Shock features a sealed hyperscrew making them IMCA legal. They have an electroless nickel plated body, 46mm hard anodized piston and multiple valving options. Made in the USA and 100% dyno tested, 27 Series shocks are racer rebuildable and revalvable.



Part No.	Comp/ Rebound	Description	Price
QA127A683-5M	3/5	Rear Shock, T-Bar Upper, Stud Lower, Each	
QA127A684M	4/4	Rear Shock, T-Bar Upper, Stud Lower, Each	
QA127A685M	5/5	Rear Shock, T-Bar Upper, Eyelet Lower, Each	
QA127A688-2M	8/2	Rear Shock, T-Bar Upper, Eyelet Lower, Each	
QA127A943-5M	3/5	Front Shock, Stud Upper, T-Bar Lower, Each	
QA127A943-8M	3/8	Front Shock, Stud Upper, T-Bar Lower, Each	
QA127A945-3M	5/3	Front Shock, Stud Upper, T-Bar Lower, Each	
QA127A945M	5/5	Front Shock, Stud Upper, T-Bar Lower, Each	

## 5th Gen Camaro Rear Lower Control Arms

QA152363

QA1's Rear Lower control arms are constructed from CNC cut and formed steel. They reduce control arm flex during hard cornering and acceleration. They are also designed to be stiffer than the factory arm, allowing the shock and spring to work more efficiently and maximize grip. These rear lower control arms feature greasable polyurethane bushings and are powder coated black for long lasting durability. Sold in a pair.



## 5th Gen Camaro Strut Tower Brace

QA152362



QA1 Strut Tower Brace utilizes a unique design to reinforce the front sub-structure and strut towers with a ridged formed channel design. Improved handling through quicker and more precise steering reaction. Black powder coat finish. Sold as a kit.



## LS2/LS3/LS7 SOS Ignition Coil Kit

DUI65250

DUI LS SOS (Sultans of Spark) ignition coils produce 28,000 volts of power compared to the stock coil of 21,000 volts. That's 7000 volts per coil, which is a whopping 56,000 volts more than a stock ignition per engine.



Applications Include; 2010-13 Chevy Camaro, 2008-09 Hummer H2, 2010 Hummer H3, 2007-13 GM/GMC Truck/SUV flex fuel engines. Kit comes with (8) coils.



## Bump Stop Adjuster

TAN56160

- Total lift of 1/2"
- Compact remote ram
- 2-1/2" Spring register
- Fits all coil over shocks
- Hard anodized Aircraft aluminum
- Light weight Kevlar transfer lines
- Direct replacement for lower spring perch
- Cuts time of tuning your bump stops by 75%
- Each turn of remote raises or lowers bump stop 1/8"
- Can be mounted in reach of the driver where rules allow or under the hood for easy access



The remote adjustable bump stop perch is a new innovative method to making racing with bump stops EASY! No more plastic shims to fracture or be forced out.





## Predator Aluminum Transmission

**BRI70600**

The new revolutionary BRINN Predator transmission design features the lowest rotating weight of any transmission on the market today. The light-weight internal clutch eliminates the need for any external clutch assembly. Gun-drilled input (SAE 10 tooth) and output (6" long spline, 27-tooth) shafts for weight reduction and all critical internal components are cryogenically treated for maximum strength. The 1.68:1 low gear ratio is perfect for all dirt and asphalt applications. Reverse (ratio 1.78:1) utilizes existing gear train (no belts or chains). Minimal maintenance required. Use only with approved Brinn RT1 transmission fluid. Light weight at only 45 lbs.



## Predator Shifter Assembly

**BRI70630**

Specifically designed Predator shifter assembly provides reliable and smooth shifting operation. Built from strong forged alloy materials and self-lubricating spherical rod ends, and high grade mounting hardware.



## RT-1 Transmission Fluid

Specially formulated multi-viscosity fluid with performance proven additive enhancement system for Brinn racing transmissions for increased clutch life, anti-wear protection, and corrosion protection. Properly lubricates critical bearings, shafts and gears. Excellent resistance to oxidation breakdown caused by heat.



Part No	Description	Price
BRI70651	Case 12-500 ml Bottles	
BRI70652	Single 500ml Bottle, Each	



## Seat Base Mount

Sparco seat base mounts utilize the factory seat mounts on your vehicle's floor and provide a flat surface for mounting a Sparco seat. Constructed from 3/16" thick steel. Provides a strong flex-free mount and 100% bolt-in installation. Powder coated in black wrinkle finish. Purchase track set and specific mounting hardware separately. Sold individually.



Part No.	Description	Price
SC0600SB040L	1999-04 Mustang Left Hand Seat Base Mount, Each	
SC0600SB040R	1999-04 Mustang Right Hand Seat Base Mount, Each	
SC0600SB010L	1979-98 Mustang Left Hand Seat Base Mount, Each	
SC0600SB137L	2010 Camaro Left Hand Seat Base Mount, Each	
SC0600SB137R	2010 Camaro Right Hand Seat Base Mount, Each	

## Driver Suit

The Driver suit is an economical and lightweight single-layer racing version based off the popular Jade suit. Treated FPF cotton construction offers high flame protection and durability. Boot cuff pant legs offer greater style and comfort. Surpasses the SFI 3.2A/1 specifications.



Part No.	Description	Price
SC0001051D00XSNR	Driver Suit XX-Small, Black	
SC0001051D0XSNR	Driver Suit X-Small, Black	
SC0001051D1SNR	Driver Suit Small, Black	
SC0001051D2MNR	Driver Suit Medium, Black	
SC0001051D3LNR	Driver Suit Large, Black	
SC0001051D4XLNR	Driver Suit X-Large, Black	
SC0001051D5XLNR	Driver Suit 2X-Large, Black	
SC0001051D6XLNR	Driver Suit 3X-Large, Black	





## New Trailer Accessories

Pit Pal trailer accessories help organize and provide a secure area for fluids, parts, tires, and entry for any race car or utility trailer.

Part No.	Description	Price
PIT104	Universal Mega Storage Trailer Shelf, 48"L X 8.5" D, Aluminum	
PIT312	Trailer 24 Quart Oil Shelf, 60"L X 5.5"D, Aluminum	
PIT353	Trailer 2 LB Fire Extinguisher Cabinet, Aluminum	
PIT389	3-Tier Karting Tire Rack	
PIT490	Trailer Step, 42" W X 16.5" D X 12.75" H, Diamond Plate Aluminum	



PIT312




PIT104

## Pro Stand Engine Cradle

PIT162

Heavy duty construction and built from zinc-plated steel. Features dual wheel casters and engineered to fit engines with front motor plates and accessories, oiling systems, air pumps, dry sump tanks, etc. Unique front tubes accommodate any height or angle. Two large spring loaded locking pins secure stand during transportation. Collapsible for storage. Recommended to fit Big and Small Block Chevy engines with motor plates.



## Lightweight 300 Fuel Pump without Bypass

WAT250300LWE

Engineered for circle track racing, this late model fuel pump is machined from forged aluminum with precision machined steel shafts and gears. Includes a swivel flange for easy rotation and alignment after mounting, and a -6AN jetted check valve. Optional dead head style pressure regulator should be used.



## SP Racing Shoe

SP Racing shoes are designed to deliver the best combination of fit, feel and comfort both in and out of the car. The F1 derived sole uses an exclusive rubber compound to enhance feel and grip of the pedals. Complies with FIA 885-2000 and SFI 3.3/5 standards.



Part No.	Color	Size	Price
ALP271011115-8	Black/Yellow	8	
ALP271011115-85	Black/Yellow	8-1/2	
ALP271011115-9	Black/Yellow	9	
ALP271011115-95	Black/Yellow	9-1/2	
ALP271011115-10	Black/Yellow	10	
ALP271011115-105	Black/Yellow	10-1/2	
ALP271011115-11	Black/Yellow	11	
ALP271011115-12	Black/Yellow	12	



## SportMod Full Face Helmet

Your Choice -

The SportMod includes many features common to higher priced helmets, yet is available at an affordable price. Constructed using a hand laid fiberglass shell, SA-2010 approved helmet is fitted with an EPS liner and a blended Nomex interior for maximum protection and comfort. Helmet is pre-drilled for HNR/HANS anchors and includes a 3mm polycarbonate low fog shield. Offered in white or flat black.



Size	White	Flat Black
X-Small	RQP274111	RQP274991
Small	RQP274112	RQP274992
Medium	RQP274113	RQP274993
Large	RQP274115	RQP274995
X-Large	RQP274116	RQP274996
2X-Large	RQP274117	RQP274997





## Sprint Car Chassis X-Wedge Racer Kit

The racer kit includes; XXX Sprint Car 87" 2" Tall X-Wedge 4130 chrome moly tube chassis, body work, tin work, aluminum rear motor plate, polished stainless steel bumpers/nerfs, and the most common suspension components as R/L front torsion arm, R/L rear torsion arm and a plated 50" x 2-1/4" front axle. Sold as a kit.



Part No.	Description	Price
TXRSCCH1003872H	X-Wedge, White	
TXRSCCH1003872H-BLK	X-Wedge, Black	

## Sprint Car Left Hand Arm Guard

Left arm guard (contours to left side safety bar) is made from fiberglass with a gel-coat finish. Encloses the left side of the driver cockpit and deflects air around the driver toward the rear of the car. Sold individually.



Part No.	Description	Price
TXRSCBW3827	White	
TXRSCBW3827BLK	Black	
TXRSCBW4295	2" Tall, White	
TXRSCBW4295BLK	2" Tall, Black	

## Sprint Car Engine Enclosure Panel Set

Protects the most expensive part of the car; the engine. This 2-piece aluminum panel set helps to prevent dirt, clay and debris away from the engine compartment ensuring that the plug wires will always stay on and makes engine maintenance less messy. Sold as a kit.



Part No.	Description	Price
TXRSCBW9830	LH Sprint Car Engine Enclosure Panel Set, 2-Pc Aluminum Set	
TXRSCBW9832	RH Sprint Car Engine Enclosure Panel Set, 2-Pc Aluminum Set	

## Sprint Car 52" Front Axle

Precision built 52" 2-1/4" x .120" wall 4130 chrome moly front axle with a 10/10 kingpin degree ensures proper wheel alignment, high quality and accuracy. Includes honed pin bosses, threaded panhard bar stud and threaded shock mounts. Available in chrome plated or black powder coated finish. Weighs 15.05 lbs. Sold individually.



Part No.	Description	Price
TXRSCFA0019	Front Axle, Plated	
TXRSCFA0019BLK	Front Axle, Black	

## Tapered Aluminum Spacer

TXRSCFE0804



1/2" tapered aluminum spacers for sprint car steering. Spaces tie rod and drag link away from steering arm and pitman arm to allow the rod ends to rotate freely. 1/4" thick. Sold individually.

## Sprint Car Angle Broached Pitman Arm

XXX angle broached lightweight aluminum pitman arm is designed for use KSE /12" box steering gears. With 10" and 11" holes, this arm is for the driver to feel "up on the wheel" steering. Sold Individually.



Part No.	Description	Price
TXRSCST0007	LW Angle Broached, Polished	
TXRSCST0007BLK	LW Angle Broached, Black	

## Sprint Car Jacobs Ladder with Straps

Made from 3/4", .065" 4130 chrome moly tubing, jig built for quality and exact fitment. Includes four CNC 6061-T6 aluminum lightweight straps. Available in 13-5/8" and 14" length, 3-hole mounting. Sold individually.



Part No.	Description	Price
TXRSCSU3304	13-5/8" With Straps, Plated	
TXRSCSU3304BLK	13-5/8" With Straps, Black	
TXRSCSU3308	14" With Straps, Plated	
TXRSCSU3308BLK	14" With Straps, Black	



## Jacobs Ladder Strap-Standard Weight

TXRSCSU0009BLK

Individual replacement standard weight

Jacobs ladder strap. Size: 7-3/4"L x 1"W x 1/4"T, 7" C-T-C hole. Anodized black. Sold individually.



## Sprint Car Nose Wing Outboard Post Kit

TXRSCTWK9200

Complete kit with two outboard wing posts and clamps to mount the nose wing to torsion tubes. Grade 8 hardware. Sold as a kit.




## 600 MINI SPRINT

### Mini Sprint Aluminum Radiator

TXR600EG0020

Standup style high efficiency mini sprint radiator has cross flow double core design with 22-24 PSI pressure cap included. 1" pipe push on and -8AN inlet and 1" pipe push on outlet. Radiator dimensions: 18"W x 10"T x 2-5/8"T. Total weight 2 lbs



## Mini Sprint Front Axle-Wingless Torsion Bar

Mini sprint 42" W x 1-1/2" Dia. x .120" wall chrome moly front axle for a wingless torsion bar car. Jig built for exacting quality and fitment. Features honed kingpin bosses, threaded panhard bar stud and threaded shock mounts. Weight 7.6 lbs. Available in Chrome-plated or Black powder coated finish.



Part No.	Description	Price
TXR600FA0018	42" Front Axle Wingless Torsion Bar, Chrome-Plated	
TXR600FA0018BLK	42" Front Axle Wingless Torsion Bar, Black	

## 600 MINI SPRINT

### Mini Sprint Front End Suspension Components



Part No.	Description	Price
TXR600SU0019BLK	Front Radius Rod, Alum. 3/8" threads, 15-1/2" L, Black	
TXR600SU0021BLK	Drag Link Rod, Alum 3/8" Threads, 14-1/2" L, Black	
TXR600SU0170BLK	Torsion Stop, Aluminum, Black, Each	
TXR600SU0171BLK	Torsion Bar Left Front, Aluminum, Black	
TXR600SU0172BLK	Torsion Bar Right Front, Aluminum, Black	
TXR600SU0183BLK	Tie Rod, 4130 Steel 3/8" x 39", Black	

## Mini Sprint Jacobs Ladder with Straps

TXR600SU0002BLK

10-1/4" Jacobs ladder made from 1/2", .065" 4130 chrome moly tubing, jig built for quality and exact fitment. Includes four CNC 6061-T6 aluminum lightweight straps. Straps are also sold individually.



## Mini Sprint Rear End Suspension Components



Part No.	Description	Price
TXR600SU0023BLK	Radius Rod Left Rear, 7/16" X 20", Black	
TXR600SU0024BLK	Radius Rod Right Rear, 7/16" X 21", Black	
TXR600SU0173BLK	Torsion Arm Left Rear, 2024 Alum., 7/8" Spline, Black	
TXR600SU0174BLK	Torsion Arm Right Rear, 2024 Alum., 7/8" Spline, Black	





## Forged DynaPro Honda/Acura Caliper

The DPHA caliper represents the newest generation of calipers designed as a direct bolt-on for Honda and Acura models with 262 mm diameter rotors. Accepts the OE brake hose and mounting bolts, and clears 15" factory aluminum wheels. Four stainless steel pistons provide fully balanced pad loading and high strength clamping force for positive stopping power. Available in high gloss black or red powder coated finish. Sold individually.



Part No.	Description	Price
WIL120-12949-BK	DynaPro Honda/Acura Caliper, Black, Each	
WIL120-12949-RD	DynaPro Honda/Acura Caliper, Red, Each	

## Honda/Acura Front Brake Kits

The DPHA front brake kits include a pair of Honda/Acura DynaPro calipers, BP-10 street performance racing brake pads, OE premium 262mm rotors (plain face or drilled) with heat resistant e-coat finish. Kit accepts OE brake hoses. Sold as a kit.



Part No.	Description	Price
WIL140-12996	Brake Kit, Black	
WIL140-12996-D	Brake Kit, Drilled, Black, Kit	
WIL140-12996-DR	Brake Kit, Drilled, Red, Kit	
WIL140-12996-R	Brake Kit, Red, Kit	

## Caliper and Pad Kit Honda/Acura Front

Direct bolt-on DPHA caliper for Honda and Acura models originally equipped with 262mm diameter rotors. Accepts the OE brake hose and mounting bolts, and clears 15" factory aluminum wheels. Kit includes a pair of forged DynaPro 4-piston calipers and BP-10 street performance racing brake pads. Sold as a kit.



Part No.	Description	Price
WIL140-13029	Caliper and Pad Kit, Black	
WIL140-13029-R	Caliper and Pad Kit, Red	

## 8-Bolt x .810 x 12.90 GT 36 Curved Vane Rotor WIL160-12292

This 8-bolt, .810" thick x 12.90" dia. x 7.00" BC curved vane spec-37 rotor is made from proprietary military spec iron alloy to withstand extreme temperatures. Resistant to distortion, warping, cracking, and wear. Sold individually.



## Professional IR Thermometer MITMT-TQ3

The MT-TQ3 is a high end digital IR thermometer which reads surface temperatures up to 1580 degrees Fahrenheit. Reads up to 30:1 distance to sight ratio using a dual laser targeting system. Features a large backlit LCD display is extremely visible in bright light or in dark conditions. Displays Fahrenheit and Celsius in four temperature mode functions. Provide accurate maximum, minimum, difference, and average temperature readings. The adjustable high and low alarm settings allow for caution control. Built-in LED spotlight brightens the work area. Includes a foam lined storage case.



## Air Cleaner Accessories

Sweet has developed a super strong 4130 chrome moly air cleaner stud and nut that resists vibrational stress cracking and breakage eliminating possible engine damage.



Part No.	Description	Price
SWE901-10150	Air Cleaner Stud, 4130, 5/16"-18	
SWE901-10151	O-Ring Carb Nut, Aluminum, 5/16"-18	



## VS Halo 1" Taller Seat

The VS Halo 1" Taller Seat has additional material added between the shoulder supports and rib supports. This raises the shoulder belt height from 25" to 26". This is beneficial for taller drivers by adding comfort and safety. The rib support heights remain the same, the right support is 18" high and the left support is 17" high. The VS Halo 1" Taller seat is offered in 10 degree layback. All VS Halo seats are constructed from .100" 5052 aluminum and have a C-channel stiffener around the torso. They feature high density, closed cell, impact absorbing foam in the head and halos. The VS Halo 1" Taller seat uses the same Full or Modular Seat Covers as the Standard VS Halo Seats and must be purchased separately.



## VS Halo Long Bottom Seat

The VS Halo Long Bottom seat is a full 20" deep, which is 5" longer than the standard VS Halo seats. The Long Bottom seats are offered in 20 degree layback. The shoulder belt height is 25", right rib support is 18" high and the left rib support is 17" high. All VS Halo seats are constructed from .100" 5052 aluminum and have a C-channel stiffener around the torso. They feature high density, closed cell, impact absorbing foam in the head and halos. Seat Covers are sold separately.



Part No.	Description	Price
ULT165100T	15", 10 Degree Layback, 1" Taller	
ULT166100T	16", 10 Degree Layback, 1" Taller	
ULT167100T	17", 10 Degree Layback, 1" Taller	
ULT168100T	18", 10 Degree Layback, 1" Taller	

Part No.	Description	Price
ULT165300	15", 20 Degree Layback, Long Bottom	
ULT165301	15", Full Cover Long Bottom, Black	
ULT166300	16", 20 Degree Layback, Long Bottom	
ULT166301	16", Full Cover Long Bottom, Black	
ULT167300	17", 20 Degree Layback, Long Bottom	
ULT167301	17", Full Cover Long Bottom, Black	
ULT168300	18", 20 Degree Layback, Long Bottom	
ULT168301	18", Full Cover Long Bottom, Black	

## New Seat Accessories

Part No.	Description	Price
ULT91040	Adult Leg Support Right Side, Aluminum	
ULT91041	Cover Leg Support Right Side Fits 91040 And 91060, Black	
ULT91050	Adult Leg Support Left Side, Aluminum	
ULT91051	Cover Leg Support Left Side Fits 91050 And 91070, Black	
ULT91060	Lightweight Leg Support Right Side, Aluminum	
ULT91070	Lightweight Leg Support Left Side, Aluminum	



## Threaded Jack Screw Jam Nut

WEHWM4910A

Lightweight replacement aluminum screw jack jam nut 1" -08 coarse thread. Set of 4.



## Limit Chain Adjustable Frame Mount 2" Tube

WEHWM21420

The adjustable chain mount aligns the chain properly and adjust the length without unhooking the chain. Complete with clevis, adjuster, and mount. Fits 2" tubing.







## GX Series Genesis Aluminum Shocks

The GX series non-adjustable and adjustable mono tube shock absorber offers a new profile dyno curve to improve traction and control. The adjustable unit offers completely independent rebound and compression adjustments that increase traction especially in slick conditions.

### All GX Series feature:

- Large 48mm bore for maximum control
- Hollow chrome shaft
- Largest 75mm built on gas reservoir
- Proprietary WNF synthetic shock fluid
- Proprietary anti-aeration two-piece closure, double checked low-speed valving
- Fully blue anodized aluminum body with high-strength 10 turns per inch external threads
- Low friction self-lubricating 1/2 inch spherical bearings on both ends
- Proprietary EDO force velocity profiles
- Sold individually.



## GX Series Recommendations

Part No.	Price	Part No.	Price
<b>Dirt Crate Late Models</b>			
LF: GENGX175*		RF: GENGX3S7BRD	
LR (In Front): GENGX19TS*		RR: GENGX194-5*	
LR: GENGX39LR1		5th Coil: GENGX173-7*	
<b>Dirt Late Models</b>			
LF: GENGX37LF1		RF: GENGX3S7BRD	
LR (In Front): GENGX19TS1*		RR: GENGX39RR1	
LR: GENGX39LR1		5th Coil: GENGX37TA	

\* Non Adjustable

## GXS Series Genesis Steel Shocks

Xtreme Series shock absorbers deliver increased traction, while improving handling, driver feel and feedback. Non-adjustable steel, mono-tube GXS Series shock absorbers are manufactured using hollow, chrome moly steel shafts that are fitted to large, 48mm bores and sealed with a positive, stainless steel no drag scraper to keep dirt and debris out. Shocks, which are completely rebuildable and revalvable, are sold complete with PTFE-lined, self-lubricating 1/2" spherical bearings on both ends. Offered in bulb or non-bulb versions.



### GXS Features include:

- Large 48mm bore for maximum control
- Hollow chrome shaft
- Positive stainless steel no-drag scraper to keep dirt and debris out
- Finest high-quality, high viscosity index shock oil
- Anti-aeration two-piece closure, double checked valving
- Low friction self-lubricating 1/2 inch spherical bearing on both ends
- Large built-on gas reservoir increases volume of gas the shock will hold
- Schrader valve to comply with rules
- Completely rebuildable and revalvable
- Sold Individually.

## GX Series Recommendations

Part No.	Price	Part No.	Price
<b>IMCA, WISSOTA &amp; UMP</b>			
LF: GENGXS075-4*		RF: GENGXS074-6	
LR: GENGXS198-3		RR: GENGXS194	

\* Non-Bulb



## Spray-On LU 204 Dry Film Graphite Lubricant

This high lubricity dry film graphite lubricant adheres to most surfaces, and dries rapidly at room temperature to provide long-wearing lubrication. Sold individually.



Part No.	Description	Price
SHES00204000	10oz. Aerosol Spray Can, Each	
SHES000204LQ	14 oz. Trigger Spray, Each	



## Universal Fire Extinguisher Seat Mount

This fully adjustable fire extinguisher seat mount installs easily in most vehicles, attaching to the seat rail bolts or above the slider. Available in lightweight, durable aluminum construction in black or brushed finishes, accepts all H3R performance fire extinguisher billet aluminum and standard brackets. Sold individually.



Part No.	Description	Price
H3RSM01BK	Fire Extinguisher Seat Mount, Black	
H3RSM01BR	Fire Extinguisher Seat Mount, Brushed	



## LapCeiver A.L.T.

The LapCeiver A.L.T. (Audible Lap Timer) allows receiving lap times in the palm of your hand with much more accuracy than stopwatches. Lap times may be viewed on the large LCD screen or audibly heard using an earpiece (purchased separately). The LapCeiver has two modes; the Transponder Mode works with the track's timing and scoring system to receive race data, while the Infra-Red Mode works with an IR transmitter (purchased separately) that is set-up across the track. When the car passes through the beam, the IR Detector detects the beam and sends it to the LapCeiver A.L.T., triggering the timing and showing up on the display. Innovative unit may also be used to compare lap times before or after chassis changes made during practice, and provides the ability to download lap times to a computer for review. Sold complete with IR Detector, reverse splitter, holster and USB cable.



Part No.	Description	Price
RCVLAP-ALT-100	LapCeiver ALT Unit Only	
RCVLAP-ALT-101PK	LapCeiver ALT Kit With IR Beacon Transmitter	
RCVALT-BKX-100	IR Beacon Transmitter	

## RaceCeiver Clear Holster With Velcro RCVHD16H

Designed for drivers wanting different mounting options for their RaceCeiver. Heavy duty, Velcro backed holster works great for attaching the RaceCeiver directly to a helmet that is equipped with speakers.



## Sprint Car Brake Pads

Sprint Car brake pads specifically designed for unbeatable braking performance replacing Red Devil brake pads using ceramic coated titanium brake rotors. These pads have linear in-braking characteristics across temperature ranges, and low pad wear with high fade resistance. Sold as a pair per caliper.



Part No.	Description	Price
HAWHB101MB775	20mm Red Devil, UL-101 300 Series	
HAWHB104MB435	11mm Red Devil, UL-104 100 Series Floating Caliper	
HAWHB697MB630	16mm Red Devil, UL-200 LW 200 And 270 Calipers	
HAWHB698MB450	11mm Red Devil, UL-300 230, 240, 250 Calipers	



## 5-Point Aluminum Adjuster Latch And Link Harness Assembly With Ratchet Adjust

Unique, five-point latch and link harness system features a compact ratchet adjuster at the end of the lap belt that provides the driver with an easy method of further tightening the harness after the belts have been snugged up. Tension springs and release pull tabs are used on adjusters for security and ease of use.

Harnesses may be used as wrap around or bolt-in and are sold complete with mounting hardware. Ratchet adjust end of lap belt is bolt-in only. Harnesses with upside down ratchet adjuster are designed for applications where the driver's side lap belt mount is located further away from the seat, such as dirt late model applications. Includes lightweight aluminum adjusters. Offered in black only.



Part No.	Description	Price
HRH51010	With Aluminum Adjusters	
HRH51110	With Aluminum Adjusters, HANS	
HRH52110	Upside Down Ratchet Adjust With Aluminum Adjusters, HANS Top	



*The Performance Intake Company*

## Air Intake Kits and Throttle Body Spacers

Top quality performance air intakes and throttle body spacers improve air flow for increased bolt-on horsepower, low-end torque, better throttle response and fuel efficiency.



Part No.	Description	Price
ARA450-638	2011-14 Ford Mustang/2011-13 F150, 5.0L Throttle Body Spacer	
ARA250-310	2012-14 Camaro, 3.6L Air Intake Kit-Oiled	
ARA251-310	2012-14 Camaro, 3.6L Air Intake Kit-Dry	
ARA300-277	2013 Dodge Ram, 5.7L Air Intake Kit-Oiled	
ARA301-277	2013 Dodge Ram, 5.7L Air Intake Kit-Dry	
ARA200-295	2013 GM Pickup, 6.6L Air Intake Kit-Oiled	
ARA201-295	2013 GM Pickup, 6.6L Air Intake Kit-Dry	
ARA450-181	2013-14 Ford Focus, 2.0L Air Intake Kit-Oiled	
ARA451-181	2013-14 Ford Focus, 2.0L Air Intake Kit-Dry	
ARA310-276	2007-11 Jeep JK Wrangler, 3.8L Air Intake Kit-Oiled	





**New Vendor!**

3X Chemistry's line of premium rust treatment and restoration products offer chemical solutions for removing, converting, and preventing rust on metal surfaces.

## Rust Dissolver


When applied, removes rust down to the bare metal without harming the integrity of the metal. Use by immersing, brushing or running through a pump system. Rust dissolver will continue to work until the rust is gone.



Part No.	Description	Price
TXC99024	Rust Dissolver, Quart, Each	
TXC99025	Rust Dissolver, Gallon, Each	

## Rust Converter

When applied this treatment converts iron oxide (rust) into an inert black polymer using a chemical process and prevents future rust from forming.



Part No	Description	Price
TXC99021	Rust Converter, 13 oz. Aerosol Spray Can, Each	
TXC99022	Rust Converter, Quart, Each	
TXC68677	Rust Converter, Gallon, Each	

## Rust Blocker

When applied, this clear rust inhibitor protects all surfaces from oxidation, corrosion, salt spray, weather elements, and pitting up to 7 years. Superior bonding to treated and non-treated surfaces such as metal, fiberglass, concrete and wood.



Part No.	Description	Price
TXC04188	Rust Blocker, 12 oz. Aerosol Spray Can, Each	
TXC04196	Rust Blocker, Quart, Each	
TXC04189	Rust Blocker, Gallon, Each	

## Encapsulator

This high-solid single component paint is specially formulated to permanently stop corrosion by bonding to bare or rusty metal to form a rock hard yet flexible, non-porous finish that won't crack, peel, or chip. Works by isolating metal from oxygen and moisture to keep rust in a suspended state. Unaffected by road salt, gasoline, oils, battery acids, hydraulic fluids, solvents, chemicals or corrosives.



Part No.	Description	Price
TXC46816	Encapsulator Gloss, Quart	
TXC46817	Encapsulator Satin, Quart	

## Metal Prep

TXC46821

Removes contaminants from any metal surface in preparation for using any rust treatment products. Removes brake fluid, grease, oil, wax, and other contaminants faster and easier than any other non-chlorinated degreasers. 14 Oz. aerosol spray can.



## Metal Etch

TXC46814

Specially formulated phosphoric acid liquid lightly etches metal surfaces to inhibit rust and promote paint adhesion. After application, leaves a bright zinc coating that helps chemically bind paint to the surface. 16 Oz. bottle.



## Paint Stripper/Powder Coat Remover

TXC46820

Non-acid, gel based formula clings to horizontal and vertical surface. Highly effective solution removes paint and powder coat from most surfaces including metal, fiberglass and wood. Once applied it produces a chemical seal that helps prevent evaporation of paint removing solvents. It works even in high-humidity conditions with less waste. Wash off with water or solvent. 1 gallon.





**New Vendor!**

## Undercoat/Adhesive Remover

TXC46819

Remove undercoating and adhesive easily. This d-limonene based solution loosens the undercoating bond from metal or plastic surface for easy scraping. Bio-degradable formula works quickly on soft rubberized undercoating and maybe used to soften baked-on undercoating and adhesive. 12 Oz. aerosol spray can.



## CAR CARE PRODUCTS

### Show Kote

TXC04175

A unique one step spray with Carnauba wax seals the surface with a deep, luxurious shine. Special enhancing compounds brighten paint finishes, chrome, stainless steel, and aluminum. 22 Oz. spray bottle.



### Kleen Sheen

TXC04176

This unique UV blocking deep cleaning formula penetrates the surface of vinyl, leather, rubber and plastic leaving a tough, protective coating without any slick and slippery mess. Apply on seats, trim, dashes, hoses, moldings, seals, plastics, tires and more. 14 Oz. spray bottle.



### Fast Detailer

TXC04177

Between washes Fast Detailer cleans, details, shines and protects all automotive paint and clear coat finishes as well as plastic, Plexiglas, Lexan, chrome, and fiberglass gel-coat. 22 Oz. spray bottle.



### Ultra Wash

TXC99018

Premium concentrated, high foaming wash and wax in one. Deep-clean wash with Carnauba wax to clean and protect leaving "just waxed" shine on all automotive finishes. 64 Oz. jug.



## Poly Wash

TXC68692

Poly wash combines deep cleaning detergents with advanced polymer technology to leave a hard, shiny thermoplastic coating that outlasts Carnauba wax based cleaners for a streak free deep glossy shine. 64 Oz. jug.



## Pro Glo

TXC99020

Get the best "mirror-like" finish and the hard protection of a synthetic polymer in an easy-to-use- liquid polish. Long-lasting protection is safe on clear coat, chrome, aluminum and fiberglass finishes. 16 Oz. bottle.



## Black Max Tire Shine

TXC99019

Black Max is a long lasting dressing and protectant that leaves a rich, "wet look" black shine on all tire and rubber surfaces. Completely protects tire surfaces from harsh elements that can cause long term damage. No wiping required. 16 Oz. spray bottle.



## Metal Polish

TXC68698

Metal polish restores metal surfaces to a high gloss luster while cleaning oxidation, grease, oils, fingerprints, hard water marks, etc. off the surface. 16 Oz. bottle.



## Ultra Clear

TXC68693

Streak-free foaming glass cleaner quickly removes dirt and debris from the glass surface. Dries residue free and the glass surfaces stay clean longer. 19 Oz. aerosol spray can.





## WeatherTech®



### TechLiner Bed Liner and Tailgate Liner

WeatherTech® TechLiner™ is the easiest to install, custom-fit solution for protecting and preserving pickup truck beds. TechLiner™ armors your investment against scratches, dents, paint damage and rust by seamlessly lining the truck bed and tailgate. The liner's "soft touch" material also helps prevent cargo from shifting yet provides ease to loading/unloading.



#### Bed Liner Truck Applications

Part No.	Year	Model	Bed Size
<b>Chevrolet/GMC</b>			
WEA36905	2007-14	Silverado/Sierra	5'8"
WEA37807	2007-14	Silverado/Sierra	6'6"
WEA39710	2007-14	Silverado/Sierra	8'
<b>Ford</b>			
WEA36603	2004-14	F150	5'6"
WEA37804	2004-14	F150	6'6"
WEA39602	2011-14	F150	8'
WEA38209	2009-14	Super Duty	6'6"
WEA39601	2009-14	Super Duty	8'
<b>Dodge</b>			
WEA36706*	2009-14	Ram 1500	6'4"
WEA37608*	2009-14	Ram 1500	5'7"

\* Not Ram box

#### Tailgate Liner Applications

Part No.	Year	Make	Model	Bed Size
WEA3TG03	2007-13	Chevy/GMC	1500	All
WEA3TG07	2014	Chevrolet	Silverado	All
WEA3TG02*	2004-14	Ford	F150	All
WEA3TG01*	2011-14	Ford	Super Duty	All
WEA3TG04	2009-14	Dodge	Ram 1500	All

\* Without tailgate step



### QuickSilver Shifter 1968-69 Camaro Console

BMM81025

B & M QuickSilver 1968-69 Camaro automatic console shifter is the top of the line high performance ratchet action shifter without a trigger lockout. Chrome plated bezel adds a custom performance look. Reverse lockout function meets NHRA and IHRA requirements. Includes a neutral safety switch, backup light switch, lighted gear indicator, 5' precision B & M shifter cable, plastic chrome knob and mounting hardware. Fits TH-350/TH-400 automatic transmissions. Will work with reverse pattern valve bodies. Sold individually.



### MegaShifter 1968-69 Camaro Console

BMM81035

B & M MegaShifter 1968-69 Camaro automatic console shifter is a classic full ratcheting high performance competition boot, chrome stick and brushed aluminum T-handle shifter with a trigger assembly. Reverse lockup meets NHRA and IHRA requirements. Includes a neutral safety switch, backup light switch, lighted gear indicator, 5' precision B & M shifter cable, plastic chrome knob and mounting hardware. Fits TH-350/TH-400 automatic transmissions. Will work with reverse pattern valve bodies. Sold individually.



### GM 8.875" 12-Bolt Truck Differential Cover

BMM70504

Cast and machined from A356 T-6 aluminum alloy B & M differential cover provides superior strength with additional fluid capacity. Built-in bearing cap bolts and additional structural supports help prevent damaging ring gear walk. Heavy duty cooling fins provide thermal heat draw with maximum cooling for extended component life. Magnetic fill plug aids in gear oil inspection and drain plug for servicing. Sold individually.



BORN FROM JOE GIBBS RACING

**DRIVEN**  
DRIVEN TO WIN RACING OIL®

*Call For  
Pricing*



## SHX Shock Fluid

Utilizes next generation synthetic oil technology to provide consistent, fade-free shock performance. It utilizes a proprietary additive package that reduces seal drag, improves air-release during fluid handling and maintains its viscosity under extreme heat and high loads. Outperforms conventional oils and delivers outstanding performance in extreme environments like off-road trucks, UTVs, motorcycles, track day cars and race vehicles. Recommended for all shock absorber applications.

Part No.	Description
JGP50040	1 Quart
JGP50041	Case, 12 x 1 Quart

## Conventional HR 10W-40

Well suited for a variety of hot rods and vintage vehicles and is appropriate to use in any engine that calls for a 10W-40 grade motor oil. Features storage protection additives that guard against rust and corrosion during winter storage. This oil is an excellent choice for muscle cars and rotary engines. Good for flat tappet, overhead and roller cam engines. No ZDDP or additives required. Viscosity typical of 10W-40.



Part No.	Description
JGP03806	1 Quart
JGP03807	Case, 12 x 1 Quart

## Carb Defender Race Concentrate

The use of Ethanol in modern pump fuel increases the risk of carburetor fuel system corrosion. Ethanol is hygroscopic, so it absorbs moisture, causing corrosion in both the fuel system and inside the engine. These problems are compounded by long term vehicle storage. Carb Defender utilizes special corrosion inhibitors to prevent costly repairs and poor performance caused by Ethanol blended gasoline and the moisture it attracts. 6 oz. treats 60 gallons.



Part No.	Description
JGP70044	6 oz.
JGP70045	Case, 24 x 6 oz.

## Synthetic HR 10W-40

Perfect choice for muscle cars, European vintage sports cars and classic motorcycles. Safe for O2 sensors and catalytic converters. Features storage protection additives that guard against rust and corrosion during winter storage. No ZDDP or additives required. Viscosity typical of 10W-40.



Part No.	Description
JGP03906	1 Quart
JGP03907	Case, 12 x 1 Quart



## Coyote Ford 5.0 V8 Serpentine Kit

Alternator Drive Kit includes a Ford Racing alternator with pulley and spring loaded tensioner, water pump pulley, and idler for perfect no-slip belt wrap. Power steering Kit includes power steering pulley and nose cover, GM type 2 power steering pump (does not include hoses or reservoir). Air conditioning kit includes air conditioning compressor, A/C compressor nose cover, one piece power steering and A/C bracket, all mounting hardware and installation instructions.



Part No.	Description	Price
MPP30550	Kit With Air Conditioning	
MPP30520	Kit Without Air Conditioning	

## SB Chevy Style Track Street Rod Serpentine Kit

Designed specifically for street rods or applications where forward clearance is needed on most pre-1940's applications. Serpentine kit includes 105 AMP chrome alternator, alternator pulley with fan and nose cover, water pump with hard coated pulley, Alternator A/C mounting bracket, crank pulley, and all mounting hardware. Kit includes two choices of power steering options; a GM Type 2 remote power steering pump kit or Saginaw pump with canister, power steering pulley with nose cover, bracket and mounting hardware.



Part No.	Description	Price
MPP22250	Kit With Type 2 Remote P/S	
MPP22255	Kit With Saginaw P/S	






## Premium Aluminum Shift Knobs

Lokar now offers a premium selection of custom shift knobs to fit Lokar automatic transmission shifters with Lokar safety lock-out Teflon lined button. Also, available for manual shift levers with 3/8"-24 threads. CNC machined from high quality billet aluminum available in brushed, black and polished finish. Made in USA. Sold individually.

### Venetian with Button (Automatic)

Part No.	Description	Price
LOKSK-6923	2" Venetian Satin	
LOKSK-6924	2" Venetian Black	
LOKSK-6925	2" Venetian Polished	



### Round Solid with Button (Automatic)

Part No.	Description	Price
LOKSK-6920	2" Round Satin	
LOKSK-6921	2" Round Black	
LOKSK-6922	2" Round Polished	



### Deco with Button (Automatic)

Part No.	Description	Price
LOKSK-6926	2" Deco Satin	
LOKSK-6927	2" Deco Black	
LOKSK-6928	2" Deco Polished	



### Venetian 3/8"-24 (Manual)

Part No.	Description	Price
LOKSK-6918	2" Venetian Satin	
LOKSK-6916	2" Venetian Black	
LOKSK-6919	2" Venetian Polished	



### Round Solid 3/8"-24 (Manual)

Part No.	Description	Price
LOKSK-6912	2" Round Satin	
LOKSK-6913	2" Round Black	
LOKSK-6914	2" Round Polished	



## Rod Style Throttle Linkage Spring Return

LOK1010148

Mounts under a 4500 Dominator 4-hole plenum plate. (black anodized)


Includes two stainless steel return springs with dual wound ends for safety, adjustable spring tensioner, scoop tray studs and stainless hardware.



## Push/Pull Throttle Cable Mounting Bracket And Return Spring Kit

Lokar Motorsports push/pull throttle cable mounting bracket is built for use with Morse

cables using single or dual cylinder throttle stops. This throttle bracket kit provides a smooth on-off throttle operation. Kit includes an precision CNC-machined aluminum open plenum mounting plate, rigid truss-style adjustable throttle cable and return spring brackets, stainless steel return springs with dual wound ends for safety, scoop tray studs and stainless steel hardware.



Part No.	Description	Price
LOK1010118	4500 Carburetors, Morse Cable, Using Single Cylinder Throttle Stop, Black	
LOK1010128	4500 Carburetors, Morse Cable, Using Dual Cylinder Throttle Stop, Black	



## Little "M" 305 Block

DRT31151411

The Little "M" 305 has all the features of the Dart Little "M" series engine blocks with a 9.025" tall deck, 3.720" bores and 350 main bearings with steel 4-bolt main caps. Also has front and external oil feed, crossover and restrictor provision.





## Green Lite GU1R Lithium 12 Volt Battery And Charger Combo BRBGU1R

The GU1R model is designed specifically for the import tuner market (4 & 6 cylinder) street and track. Popular group size battery (Mazda Miata) is small and light enough to mount in a variety of locations. Green light features race winning technology, excellent off-season storage, brass terminals, high AMP design, and RoHS. Environmentally friendly and DOT approved.

### GU1R Specifications

**Battery Group:** U1R  
**Weight:** 6.6lbs./4.8kg  
**Length:** 7.68"/195mm  
**Width:** 5.13"/130mm  
**Height:** 7.13"/182mm  
**PCA (Pulse Cranking Amps):** 947  
**Amp Hr:** 13  
**Lithium Amp Hr:** 39  
**Right Side Positive**



## Micro-Lite ML20C Carbon 1152 AMP Lithium 12 Volt Battery BRBML20C

Braille Lithium-Ion technology produces a battery with more power that is lighter, stronger and more efficient. Features carbon composite casings with precision CNC precision top design. Uses ultra-lightweight Lithium-Ion chemistries, proprietary Sine-Wave balancing and high amp brass terminals.

### ML20C Specifications

**Weight:** 6.1 lbs./2.8 kg  
**Length:** 7.00"/178mm  
**Width:** 3.50"/89mm  
**Height:** 6.00"/152mm  
**PCA (Pulse Cranking Amps):** 1152  
**Amp Hr:** 16  
**Lithium Amp Hr:** 48  
**Right Side Positive**



## Micro-Lite ML30C Carbon 1658 AMP Lithium 12 Volt Battery BRBML30C

The largest micro-lite battery boasts over 1650 pulse cranking amps and specific chemistry for this battery to enable the longest run time without an alternator. Features carbon composite casings with precision CNC precision top design. Uses ultra-lightweight Lithium-Ion chemistries, proprietary Sine-Wave balancing and high amp brass terminals.

### ML30C Specifications

**Weight:** 9.3 lbs./4.2 kg  
**Length:** 6.60"/168mm  
**Width:** 5.20"/132mm  
**Height:** 6.88"/173mm  
**PCA (Pulse Cranking Amps):** 1658  
**Amp Hr:** 28  
**Lithium Amp Hr:** 84  
**Right Side Positive**



## Green Lite 346 Amps 12 Volt G9 Lithium Battery BRBG9

The G9 Lithium-Ion battery technology produces a battery with more power that is lighter, stronger and more efficient. Green light features race winning technology, excellent off-season storage, brass terminals, high AMP design, and RoHS. Environmentally friendly and DOT approved.

### G9 Specifications

**Weight:** 2.3 lbs./1.04 kg  
**Length:** 5.90"/149mm  
**Width:** 2.57"/65mm  
**Height:** 3.58"/90mm  
**PCA (Pulse Cranking Amps):** 346  
**Amp Hr:** 6  
**Lithium Amp Hr:** 18  
**Left Side Positive**







## Marine Clean

Cleans and degreases in one application without leaving residues, noxious fumes or flammable solvents. Removes grease, oil mildew, algae, musty odors, soap films and wax on vinyl, canvas, nylon, holding tanks, grease traps, auto parts and more. Use before applying any rust preventive paint or coating. Sold individually.



Part No.	Description	Price
POR40104	Quart, Each	
POR40101	Gallon, Each	

## Prep & Ready

Use Prep & Ready to guarantee the best paint adhesion on any metal surface, including polished aluminum. Etches surface and leaves a zinc phosphate coating for application of POR-15 rust preventive paint. Sold individually.



Part No.	Description	Price
POR40204	Quart, Each	
POR40201	Gallon, Each	

## POR-15

No need to remove rust first! The secret lie in POR-15's curing process. POR-15 dries faster when moisture is present. It has the opposite chemistry of ordinary paints. POR-15's incredible hardness, toughness, and flexibility is practically indestructible. Perfect for auto restoration, POR-15 protects metal areas from reoccurring rust and abrasion. Available in black, gray, silver, and semi-gloss black colors. Sold individually.



Part No.	Description	Price
POR45008	Black Pint, Each	
POR45004	Black Quart, Each	
POR45208	Gray Pint, Each	
POR45204	Gray Quart, Each	
POR45308	Silver Pint, Each	
POR45304	Silver Quart, Each	
POR45408	Semi-Gloss Black Pint, Each	
POR45404	Semi-Gloss Black Quart, Each	

## POR-15 Super Starter Kit

POR45009

Try it first! The super starter kit is an entire 3-step rust-stopping system. You'll get a 4 oz. can of POR-15 (12 sq. ft. coverage), half-pint of Marine Clean, half-pint of Prep & Ready, two wooden handle paint brushes and a pair of special high-dexterity surgical latex gloves. Sold as a kit.



## POR-15 Six Pack

POR45006

The POR-15 Six Pack contains six 4 oz. cans of black POR-15. Each can covers 12 sq. ft. Open each can as needed for small rust preventive projects to prevent waste.



## POR Patch

POR49013

This incredibly strong permanent seam, hole and channel filler actually adds strength to weakened metal. Bonds steel to plastic, wood or concrete. Dries rock hard, remains flexible, and once dry is totally impervious to fuels and solvents. Will not absorb moisture and swell like conventional body fillers. Sold in a 4 oz. tube.



## BlackCote Topcoat

BlackCote has a beautiful glossy black finish and is perfect for restoring gloss black frames, chassis and under hood parts of antique vehicles. Sold individually.



Part No.	Description	Price
POR41218	14 oz. Aerosol Spray Can, Each	
POR41208	Pint Can, Each	
POR41204	Quart Can, Each	

## Chassis Coat Black

Chassis Coat Black has a smooth, satiny semi-gloss finish, for use as "correct as original" chassis and underhood components for cars produced in the USA from early 1950's to present. Sold individually.



Part No.	Description	Price
POR41318	14 oz. Aerosol Spray Can, Each	
POR41308	Pint Can, Each	
POR41304	Quart Can, Each	



**New Vendor!**



## POR-Strip

POR Strip clear spray-on paint remover/stripper is the choice of professional auto strippers. Removes any paint from surface without damage to glass, chrome or rubber. A non-acidic formula will not harm aluminum or factory fiberglass. Sold individually.

Part No.	Description	Price
POR40304	Quart, Each	
POR40301	Gallon, Each	

## Metal Mask

Metal Mask is a super tough coating that is amazingly close to the color of brand new cast iron or bare metal. Permanently coats and protects the components on chassis that were unpainted from the factory when the vehicle was new. Extremely scratch, chip, and crack resistant. Sold individually.



Part No.	Description	Price
POR41408	Pint, Each	
POR41404	Quart, Each	

## Tie-Coat Primer

Tie-Coat is a buildable and sandable primer to paint over well-cured POR-15. Easy to apply primer has great adhesion qualities. Sands smoothly when leveling and filling surface irregularities. Compatible with all paint systems and bake ovens. Sold individually.



Part No.	Description	Price
POR41108	Pint, Each	
POR41104	Quart, Each	

## POR-20

POR-20 is high temperature brilliant aluminum paint is capable of withstanding temperatures up to 1400°F. Guaranteed not to crack, chip, or peel and also extremely weather, salt and moisture resistant. Sold individually.



Part No.	Description	Price
POR44316	8 oz. Can, Each	
POR44308	Pint, Each	

## Factory Manifold Gray

Factory manifold gray is a high temperature cast iron gray color capable of withstanding temperatures up to 1400°F. Guaranteed not to crack, chip, or peel and also extremely weather, salt and moisture resistant. Sold individually.



Part No.	Description	Price
POR44216	8 oz. Can, Each	
POR44208	Pint, Each	

## Black Velvet

Black Velvet is a heat resistant rich black paint capable of withstanding temperatures up to 1200°F. Sold individually.



Part No.	Description	Price
POR44116	8 oz. Can, Each	
POR44108	Pint Can, Each	

## Fuel Tank Repair Kit

**POR49239**

Fuel tank repair kit includes everything needed to completely repair a steel fuel tank. Kit includes Marine Clean (removes gum, sludge, varnish from tank), Prep & Ready (removes rust/prepare tank), U.S. Standard Fuel Tank Sealer (permanently seals tank), Fuel Preservative & Stabilizer and detailed instructions. Sold as a kit.



## Motorcycle Fuel Tank Repair Kit

**POR49229**

This kit was designed for the special needs of motorcycle and other small fuel tanks such as on recreation vehicles, snowmobiles, outboards, generators, etc. Kit includes Marine Clean (removes gum, sludge, varnish from tank), Prep & Ready (removes rust/prepare tank), U.S. Standard Fuel Tank Sealer (permanently seals tank), sponge brush, and fabric for sealing holes and reinforcing weak areas on metal and fiberglass tanks and detailed instructions. Sold as a kit.







DO THE JOB **RIGHT**.

## 2K Pro Paint Gun in an Aerosol Can

Eastwood's new 2-component ceramic aerosol precision paint gun mixes in the ceramic fortified coating and activator right in the can. No paint gun required. No mess to clean up.



Part No.	Description	Price
EAS14145Z	Chassis Black Gloss, Each	
EAS14146Z	Chassis Black Satin, Each	
EAS14147Z	Underhood Black Each	
EAS14148Z	Clear Coat, Each	
EAS14149Z	Epoxy Primer, Each	

## Mig Welder Pliers

EAS19015

Mig welder pliers make welding a whole lot easier. The knurled squared-off spring loaded tips remove splatter, hold tips and nozzles. Features built-in wire cutter and comfortable rubberized handle.



## Triple Head 180 Degree Tubing Bender

EAS12435

Versatile tubing bender forms 3/16", 1/4", 5/16" or 3/8" steel, aluminum, or copper tubing into smooth tight 180 degree bends.



## Pro Glass Polishing Kit

EAS12525

Removes light scratches and clear wiper haze from older hard to replace windshields. Works with a drill or low speed polisher. Kit includes polishing compound, foam pads, drive arbor and polishing pads.



## Trim Hammer

EAS13146

Trim hammer makes fine trim repair simpler in tight spots. Removes dents in flat stainless trim. Use the cross peen to work in tight edges and corners. 3.3 oz. drop-forged head. Hickory handle for superb balance and durability.



## Panel Beater Sandbag with Teardrop Mallet

EAS28045


This teardrop mallet with panel beater sand bag gives support and flexibility for precision panel beating and metal shaping. Kit includes an all leather 18" x 18" panel beater bag with a hook and loop fill opening along with a non-marring 2-1/2" teardrop mallet. Sold as a set.



## Martin Key to Metal Bumping Book

EAS31063

The "Bible" of metal-bumping and body work written by Frank T. Sargent over 50 years ago, this is still one of the best basic reference books on metal bumping and metalwork. Over 120 pages of secrets and tips used by professionals.



## 7-Piece Dura-Block Sanding Blocks

EAS31160

This 7-piece set includes a variety of lengths and configurations to sand flat and contour surfaces. Use with wet or dry sandpaper rolls or sheets. Sold as a kit.



## 60-LED Rechargeable Work Light

EAS70249

The 60-LED rechargeable work light can be used as a work light or a flashlight. Features a Magnetic back and rotating hook to secure light. Includes adapters for charging at home or in the vehicle.





DO THE JOB **RIGHT.**

## 24-LED Work Light

EAS70252

Compact 24-LED Work Light is also a 3-LED Flashlight. Eastwood's 24-LED light illuminates your work area, and the 3-LED light works as a flashlight. Use the magnetic backing or rotating hanging hook so you can work hands-free, or point the light directly where you need it most. Use 3 AAA batteries (included).



## Chassis Kleen

EAS12196Z

Clean grimy chassis and suspension parts with a strong, general-purpose, aerosol cleaner developed exclusively for chassis and suspension parts. Huge 18 oz. aerosol spray can provides plenty of Chassis Kleen to get the job done.



## Guide Coat Black

EAS12416Z

For use over light primed surfaces while block sanding. Apply a misting of guide coat over the primer will highlight low and uneven areas. Achieve a car-show-quality finish. Identifies scratches and pinholes. 12 Oz. Aerosol can.



## Internal Exhaust Coating with Extension Tube

EAS13795Z

Eastwood's exclusive high temperature coating with 360 degree, 2-foot long spray nozzle coats the inside of exhaust system components to trap the heat inside the exhaust tubing. Thermal coating withstands up to 1800F. 11 Oz. Aerosol can.



## Grizzly Locker

The Yukon Grizzly locker is the ultimate in locking differentials for street, off-road and drag racing. Provides 100% power to both tires, while the mechanical locking mechanism disengages in the turns. Features a forged case and 8620 internals for maximum strength. Backed by the best warranty in the business.



Part No.	Description	Price
YKNYGLF8.8-31	Ford 8.8 31 Splines	
YKNYGLF9-31-RACE	Ford 9" 31 Splines	
YKNYGLF9-35-RACE	Ford 9" 35 Splines	

## Hardcore Locking Hub Kit

These heavy duty lockouts feature all steel construction, including chrome moly internals, for strength and durability. Engagement in 1/3 turn of an all-steel, low-profile bezel eliminates impact and obstacles. Proprietary coating on the locking gears for decreased friction and long life. Sold as a kit.



Part No.	Description	Price
YKNYHC70005	Dana D30 And D44, 30 Spline	
YKNYHC70006	Dana D44, 19 Spline	
YKNYHC70007	8.5, And D44, 19 Spline	



**NEW!  
SIZES!**

## Sportsman S/R Front Tire

The S/R radial front street tire with a unique flamed tread pattern matches the S/R sportsman rear tires. D.O.T. Approved. Sold individually.



Part No.	Description	Price
MIC90000020407	28"/6"R-15LT, Each	
MIC90000020379	26"/6"R-17LT, Each	
MIC90000020408	28"/6"R-17LT, Each	





**New Vendor!**

## STEERING WHEELS

### GT Pro-Touring/Autocross

The GT Pro-Touring modular design is handcrafted with a special tiered 3-spoke design, elongated lightening slots and genuine black leather or hand rubbed, stained mahogany finger grip rim. Well balanced 15" diameter, CNC machined 6061-T6 aluminum themed with black /silver/black anodized finish give the professional pro-touring and auto cross competitor a true feel of competition. 2" dish, 3-bolt mounting pattern. Horn button sold separately.



Part No.	Description	Price
GTP54-5815	Black Leather Grip	

### GT Retro Series

The GT Retro wheel inspired by the muscle cars of the 1960's-1970's. It features a 15" diameter stainless steel construction, brushed finished spokes with polished edges, and original vintage thick black foam rubber or genuine hardwood walnut stained grip. 4" dish, 3-bolt mounting pattern. Horn button sold separately.



Part No.	Description	Price
GTP36-5451	GT Retro Foam Wheel	
GTP36-5457	GT Retro Wood Wheel	

### GT Retro Cobra Style

GTP38-4247

The GT Cobra Retro 15" diameter wheel has redefined the 60's sports car spirit with its one-piece forged billet aluminum construction, genuine laminated wood grip with nine rivets sealed in polyurethane clear coat for beautiful gloss finish. 9-bolt mounting pattern. Horn button sold separately.



### GT Retro Banjo Style

GTP21-4245

TH GT Banjo style 15.5" diameter wheel is symbolic of the wheels from the 30's and 40's. It features a one-piece forged billet aluminum construction, black leather top with billet finger grips. 1.75" dish, 9-bolt mounting pattern. Horn button sold separately.



### GT Classic Foam

GTP14-4331

The GT Classic Foam features a polished chrome center 3-spoke design with four chamfered lightening holes. Large 14.5" diameter thick foam grip to view gauges clearly. 3.5" dish, 3-bolt mounting. Horn button sold separately.



### GT Competition Symmetrical Style

The GT Competition features a 15" diameter lightweight aluminum construction, "original" vintage thick, foam grip and GT performance exclusive "sure lock" O-Ring design. 3-Bolt mounting pattern. Horn button sold separately.



Part No.	Description	Price
GTP91-5342	Symmetrical 3.125" Dish	
GTP91-5142	Symmetrical 1.5" Dish	

### GT Competition Bell Style

GTP91-4040

This wheel is patented after the historic "Bell" racing wheel. It features a one-piece 15" diameter chrome moly frame construction, polished and chrome-plated edges. 3-bolt pattern. Flat dish. Horn button sold separately.



### GT Competition Tognotti Style

GTP91-5041

This wheel is patented after the historic "Tognotti" racing wheel. It features a 15" stainless steel construction, polished spokes, thick foam grip. 3-bolt pattern. Horn button sold separately.





**New Vendor!**

## GT3 Horn Buttons

Designed for use on all 3-bolt GT steering wheels. Features "sure lock" O-Ring design that ensures they don't pop off and are interchangeable with all other brands of 3-bolt steering wheels. Made from 6061-T6 billet aluminum, and grade 8 hardware. Available in a brilliant polish or black anodized finish.



### Standard Polished Series, 1.5" High

Part No.	Description	Price
GTP11-1000	Plain Polished	
GTP11-1001	Ford Oval Engraved	
GTP11-1002	Chevrolet Bow Tie Engraved	
GTP11-1003	Ford V8 Logo Engraved	
GTP11-1004	GT Logo Engraved	
GTP11-1020	Plain With Black Center	
GTP11-1021	Ford Color Emblem	
GTP11-1022	Chevrolet Red Bow Tie Color Emblem	
GTP11-1023	Ford V8 Color Emblem	
GTP11-1025	For Mustang Color Logo	

### Standard Black Anodized Series 1.5" High

Part No.	Description	Price
GTP21-1004	GT Logo Engraved	
GTP21-1021	Ford Color Emblem	
GTP21-1022	Chevrolet Red Bow Tie Emblem	
GTP21-1025	Ford Mustang Color Emblem	

### Low Profile Series, 1.25" High

Part No.	Description	Price
GTP11-2000	Plain Polished	
GTP11-2020	Plain Black Center	
GTP11-2021	Ford Oval Color Emblem	
GTP11-2023	Ford V8 Logo Color Emblem	

### Polished Hi-Rise Series 1.5" High

Part No.	Description	Price
GTP11-1500	Black Center	
GTP11-1521	Ford Oval Color Emblem	
GTP11-1522	Chevrolet Red bow Tie Emblem	
GTP11-1523	Ford V8 Logo Color Emblem	
GTP11-1525	Ford Mustang Color Emblem	

## GT9 Polished Horn Buttons

Designed for use on all 9 bolt wheels. Same great feature as the GT3.



Small size, Hi-Tech Look. Shows 9 bolt pattern.

Part No.	Description	Price
GTP11-1100	Plain Polished	
GTP11-1121	Ford Oval Color Emblem	
GTP11-1122	Chevrolet Red bow Tie Emblem	
GTP11-1125	Ford Mustang Color Emblem	

Large size, Elegant Look covers 9 bolt pattern.

Part No.	Description	Price
GTP11-1140	Plain Polished	
GTP11-1162	Chevrolet Red bow Tie Emblem	
GTP11-1163	Ford V8 Logo Color Emblem	

Banjo style, Elegant Look covers 9 bolt pattern.

Part No.	Description	Price
GTP11-1220	Plain Polished	
GTP11-1221	Ford Oval Engraved	
GTP11-1223	Ford V8 Logo Engraved	
GTP11-1241	Ford V8 Logo Color Emblem	
GTP11-1242	Chevrolet Red bow Tie Emblem	
GTP11-1243	Ford V8 Logo Color Emblem	

## GT3 Quick Release Hubs

The quick release hub is designed with a 23-splined core and billet aluminum casing. Flange release for tight tolerance and strength. Meets S.F.I 42.1.



Part No.	Description	Price
GTP90-2520	Chevy Spline	
GTP90-2530	Chrysler Spline	
GTP90-2540	5/8" Weld-On	
GTP90-2550	3/4" Weld-On	

## Installation Kits

Feature a one-piece construction adapter hub with a 3-bolt or 9-bolt mounting pattern that is interchangeable with any standard 3-bolt or 9-bolt steering wheel or horn button. Complete with horn wiring leads, mounting bolts complete installation instructions.



	GT3 Black	GT3 Polished	Price	GT9 Polished	Price
1967-69 GM/AMC All Models	GTP20-5002	GTP10-5002		GTP10-5502	
1969-94 GM/AMC All Models	GTP20-5006	GTP10-5006		GTP10-5506	
1965-70 Ford All Models	GTP20-6004	GTP10-6004		GTP10-6504	
1963-1/2-1964 Ford Mustang, Falcon, Comet	GTP20-6005	GTP10-6005		GTP10-6505	
1970-80 Ford All Models	GTP20-6009	GTP10-6009		GTP10-6509	



**extang**  
AMERICA'S #1 SELLING TONNEAUS

**New Vendor!**

Call For  
**\$ Pricing**

## Hard Lid Tonneau **SOLID FOLD**

Extang's tri-folding hard lid tonneau cover. Installs in seconds!! No tools required. Fastest installation and removal of any hard tonneau on the market. Tonneau is completely assembled, no spare parts or tools required. Extang engineered design, made from aircraft grade aluminum alloy. Great looking, black textured (poly-tex) paint finish. Easy to use clamping system.



Part No.	Description
<b>GM</b>	
EXT56645	2007-13 GM P/U 5'8" Bed
EXT56445	2014 GM P/U 5'8" Bed
EXT56650	2007-13 GM P/U 6.5' Bed
EXT56450	2014 GM P/U 6.5' Bed
<b>Dodge</b>	
EXT56425	2009-14 Ram 5'7" Bed
EXT56430	2009-14 Ram 6'4" Bed
EXT56770	2003-08 Ram 6.5' Bed
<b>Ford</b>	
EXT56405	2009-14 F150 5.5' Bed
EXT56410	2009-14 F150 6.5' Bed
EXT56720	1999-14 F250 6.75' bed

## Tri-Fold Tonneau Cover **TRIFECTA**

Extang engineered tri-fold style tonneau cover. Fast, easy, no assembly required. No tools. Extang engineered with precision. 45° steel corner brackets, commercial grade rails and I-Beam style Monster Bows provide unparalleled strength. **SafetyKlamps:** Extremely strong glass-filled nylon construction, will never break. Heavy-duty luggage style Hold-Tite fasteners secure the tonneau in the open position at the cab.



Part No.	Description
<b>GM</b>	
EXT44645	2007-13 GM P/U 5'8" Bed
EXT44445	2014 GM P/U 5'8" Bed
EXT44650	2007-13 GM P/U 6.5' Bed
EXT44450	2014 GM P/U 6.5' Bed
<b>Dodge</b>	
EXT44425	2009-14 Ram 5'7" Bed
EXT44430	2009-14 Ram 6'4" Bed
EXT44770	2003-08 Ram 6.5' Bed
<b>Ford</b>	
EXT44405	2009-13 F150 5.5' Bed
EXT44410	2009-13 F150 6.5' Bed
EXT44720	1999-13 F250 6.75' bed

**Superchips**

## Flashcal 2007-14 Jeep Wrangler SCI3570

New for Jeep Wrangler enthusiast who has installed larger off road tire and wheel package, changed front and rear gear ratios, and who needs to have axle locking options, and electronic accessory upgrades this Flashcal is for you!

### Features include:

- Corrects Speedometer For Tire Upgrades Between 22.5" And 44.25"
- Speedometer Recalibration For Gear/Axle Swaps Up To 5.38
- Locking Axle Options With Transfer Case In 4H And 4 Low (2007-10 Rubicon Only)
- Esp Stability Optimization (2001-14 Automatic Transmission Models Only)
- Engine Idle Adjustability For Winching
- Street Legal Tpms Adjustability
- Daytime Running Light Options
- Radio Delay Options (2011-14 Models Only)
- Headlamp Delay Options (2011-14 Models Only)
- Horn Chirp And Exterior Lighting Flash Options When Locking Doors With Keyless Entry
- Reads And Clears Diagnostic Trouble Codes
- Internet Updates
- This Is Not A Performance Programmer



## 2014 CHEVY SILVERADO/GMC SIERRA FEATURED NEW PRODUCTS



### AVS Ventvisors™

As the innovator of the original ventvisor, our signature product innovation is precision engineered for an exacting fit.



Make	Model	Submodel	Part No.	Price
<b>The Original</b>				
Chevrolet	Silverado 1500	Crew Cab	VEN94536	
Chevrolet	Silverado 1500	Double Cab	VEN94528	
Chevrolet	Silverado 1500	Regular Cab	VEN92301	
GMC	Sierra 1500	Crew Cab	VEN94536	
GMC	Sierra 1500	Double Cab	VEN94528	
GMC	Sierra 1500	Regular Cab	VEN92301	
<b>In-Channel</b>				
Chevrolet	Silverado 1500	Crew Cab	VEN194536	
Chevrolet	Silverado 1500	Double Cab	VEN194528	
Chevrolet	Silverado 1500	Regular Cab	VEN192301	
GMC	Sierra 1500	Crew Cab	VEN194536	
GMC	Sierra 1500	Double Cab	VEN194528	
GMC	Sierra 1500	Regular Cab	VEN192301	

### AVS Hood Protection

Offers a hood protection series that not only match your vehicle profile, but also serve as tough hood, fender and windshield protection against bugs, dirt and debris.



Make	Model	Part No.	Price
<b>Bugflector II</b>			
Chevrolet	Silverado 1500	VEN25121	
Chevrolet	Silverado 2500HD	VEN25946	
GMC	Sierra 1500	VEN25131	
GMC	Sierra 2500HD	VEN25947	



### Interceptor™

LUND Interceptor is the strongest hood shield on the market today.



Make	Model	Part No.	Price
<b>Bugflector II</b>			
Chevrolet	Silverado 1500	LUN18817	
Chevrolet	Silverado 2500HD	LUN18815	
GMC	Sierra 1500	LUN18819	

## TRUXEDO



### Truxport



The first soft, roll-up Tonneau cover with a "snap-cover" price. Economical covers have a sleek, smooth appearance and lacks the hassle associated with snaps, clips or zip-style strips. Can be rolled up quickly by one person and installed in just 20 minutes. 18 oz . reinforced vinyl cover. Top of bed rail mount. Improves gas mileage. 5 year warranty covers everything - even the fabric.

Make	Description	Part No.
Chevrolet	Full Size, 5'8" Bed	TRX271801
Chevrolet	Full Size, 6.5' Bed	TRX272001
Chevrolet	Full Size, 8' Bed	TRX272201

### TruXedo® Lo Pro QT

Low profile, soft roll-up cover. Angled rails provide a sleek look-less than 1 inch above the bed. The rails mount inside the bed for a clean side bed rail look. 18 oz. industrial strength fabric cover. Free-floating and system comes with industrial strength hook and loop moves on the rail and works with the tension control system to keep the cover tight while reducing wear and tear. Easy Trigger latch comes with one finger release and open quickly and easily. Improves gas mileage.



Make	Description	Part No.
Chevrolet	Full Size, 5'8" Bed	TRX571801
Chevrolet	Full Size, 6.5' Bed	TRX572001
Chevrolet	Full Size, 8' Bed	TRX572201



## 2014 CHEVY SILVERADO/GMC SIERRA FEATURED NEW PRODUCTS



VEHICLE ARMOR™



### X-act Contour Series

The custom fit liners are made from a rubberized material that conforms perfectly to your vehicle's carpeted or vinyl floorboards. The X-act Contour™ floor liners offer a rich texture and soft, flexible feel while providing superior functionality and protection against mud, spills and mess. Black only.



Make	Model	Submodel	Part No.
<b>Front Floor Liners</b>			
Chevrolet	Silverado 1500	Front	HSK53111
Chevrolet	Silverado 1500	Extended/Crew Cab	HSK53111
Chevrolet	Silverado 1500	Rear Crew Cab	HSK53211
Chevrolet	Silverado 1500	Rear Extended Cab	HSK53221
GMC	Sierra 1500	Front	HSK53111
GMC	Sierra 1500	Extended/Crew Cab	HSK53111
GMC	Sierra 1500	Rear Crew Cab	HSK53211
GMC	Sierra 1500	Rear Extended Cab	HSK53221

### Custom Molded Mud Guards

Custom Molded Mud Guards offer excellent protection for your vehicle's exterior doors and quarter panels as well as the vehicles around you.



Make	Model	Front	Rear	Color
Chevrolet	Silverado 1500	HSK56881	HSK57881	Black
GMC	Sierra 1500	HSK56891	HSK57891	Black



### Body Lift Kits

No one does body lifts better than Performance Accessories. We are proud to offer the most complete line of body lift kits in the world. When you purchase a lift kit for your truck. You want to go home and install it, with no problems. We work hard to make that reality. Not only do we design every body lift kit right there in Chino Valley AZ, USA, we also manufacture all the parts.

Year	Make	Model	Part No.	Price
2014	Chevrolet	Silverado 1500, 3"	PRF10293	
2014	GMC	Sierra 1500, 3"	PRF10303	

### WeatherBeater Floor Liners

Offer superior carpet protection against mud, spills and mess with a fresh appealing design complimenting today's trucks and SUV's interior styling.



Make	Model	Submodel	Color	Part No.
<b>Front Floor Liners</b>				
Chevrolet	Silverado 1500	Crew Cab	Black	HSK18231
Chevrolet	Silverado 1500	Extended Cab	Black	HSK18231
Chevrolet	Silverado 1500	Crew Cab	Grey	HSK18232
Chevrolet	Silverado 1500	Extended Cab	Grey	HSK18232
Chevrolet	Silverado 1500	Crew Cab	Tan	HSK18233
Chevrolet	Silverado 1500	Extended Cab	Tan	HSK18233
GMC	Sierra 1500	Crew Cab	Black	HSK18231
GMC	Sierra 1500	Extended Cab	Black	HSK18231
GMC	Sierra 1500	Crew Cab	Grey	HSK18232
GMC	Sierra 1500	Extended Cab	Grey	HSK18232
GMC	Sierra 1500	Crew Cab	Tan	HSK18233
GMC	Sierra 1500	Extended Cab	Tan	HSK18233
<b>2nd Seat Floor Liners</b>				
Chevrolet	Silverado 1500	Extended Cab	Black	HSK19241
Chevrolet	Silverado 1500	Extended Cab	Grey	HSK19242
Chevrolet	Silverado 1500	Extended Cab	Tan	HSK19243
Chevrolet	Silverado 1500	Crew Cab	Black	HSK19231
Chevrolet	Silverado 1500	Crew Cab	Grey	HSK19232
Chevrolet	Silverado 1500	Crew Cab	Tan	HSK19233
GMC	Sierra 1500	Extended Cab	Black	HSK19241
GMC	Sierra 1500	Extended Cab	Grey	HSK19242
GMC	Sierra 1500	Extended Cab	Tan	HSK19243
GMC	Sierra 1500	Crew Cab	Black	HSK19231
GMC	Sierra 1500	Crew Cab	Grey	HSK19232
GMC	Sierra 1500	Crew Cab	Tan	HSK19233
<b>Front And 2nd Seat Floor Liners</b>				
Chevrolet	Silverado 1500	Crew Cab	Black	HSK98231
Chevrolet	Silverado 1500	Crew Cab	Grey	HSK98232
Chevrolet	Silverado 1500	Crew Cab	Tan	HSK98233
GMC	Sierra 1500	Crew Cab	Black	HSK98231
GMC	Sierra 1500	Crew Cab	Grey	HSK98232
GMC	Sierra 1500	Crew Cab	Tan	HSK98233




## 2014 CHEVY SILVERADO/GMC SIERRA FEATURED NEW PRODUCTS



### 409S Stainless Steel Force II For 2014 Silverado/Sierra 1500 (Crew Cab Only)

FL0817666

Force II Cat-back exhaust system for the 2014 Chevy Silverado and GMC Sierra 1500 trucks with 5.3L V8 is perfect for the person looking for a moderate sound level inside and outside of the truck, with all of the performance benefits that you would expect from Flowmaster. Dual out rear/dual out side.



### 409S Stainless Steel Force II For 2014 Silverado/Sierra 1500 (Extended/Crew Cab Only)

FL0817672

For the 5.3L V8. Designed to fit Double Cab and Crew Cab models with 5.8' and 6.5' bed. Single out side.



## BEDRUG

NEXT GENERATION BEDLINERS

Call For  
**\$**  
Pricing

BedRug



Molded to fit your specific make and model, this liner looks great and fits like a glove. Its non-skid surface keeps your cargo in place, and a built-in hinge between the truck bed and tailgate prevents debris from collecting. The BedRug material is fade and UV resistant. It doesn't absorb water and will not mold or mildew. Just clean it with a hose, power washer or vacuum and your BedRug is good as new.

Make	Model	Submodel	Part No.
Chevrolet	Silverado 1500	5.8' Bed	BEDBRC07CCK
Chevrolet	Silverado 1500	6.6' Bed	BEDBRC07SBK
GMC	Sierra 1500	5.8' Bed	BEDBRC07CCK
GMC	Sierra 1500	6.6' Bed	BEDBRC07SBK



### Timbren SES

**Easiest to Use:** Rubber cushions absorb road shock while automatically adjusting to uneven loads and rough road conditions.

**Easiest to Maintain:** Simply bolt the kit on. Now you're set for a lifetime of trouble-free motoring.

**Easiest to Install:** There are no holes to drill, or airlines to route. SES kits can be installed in a matter of minutes using basic hand tools.

Timbren SES kits guarantee safer driving and added peace of mind.



Make	Description	Weight Capacity	Part No.	Price
<b>Silverado 1500</b>				
Chevrolet	Suspension Enhancement System, Front Axle	14,000	TIMGMFK15CA	
Chevrolet	Suspension Enhancement System, Rear Axle	6,000	TIMGMRCK15S	
<b>Sierra 1500</b>				
GMC	Suspension Enhancement System, Front Axle	14,000	TIMGMFK15CA	
GMC	Suspension Enhancement System, Rear Axle	6,000	TIMGMRCK15S	





## 2014 CHEVY SILVERADO/GMC SIERRA FEATURED NEW PRODUCTS



### 23 Series/E-Series Step Bars

23 series step bars are made from 3" diameter tubing. E-Series step bars are designed for your specific vehicle and bolt onto your truck's frame without drilling. Made in your choice of polished stainless steel or black powdercoated mild steel.

### 25 Series Signature End Step Bars

Westin's Signature 25 series step bars are made from 3" diameter steel tubing. The bars are designed for your specific vehicle and bolt to your truck's frame without drilling. Available in your choice of chrome plated or galvanized black powdercoated finishes.

### 26 Series Platinum Step Bars

Platinum series step bars combine either a brilliant, chrome plated finish with durable stainless steel construction. These step bars offer a lifetime of good looks and rust resistance, sturdy 3" diameter tubing, and a non-skid, recessed step area for sure footing in any type of weather.

		23-Series E-Series				25-Series Signature End				26-Series Platinum	
Year	Model	Stainless	Price	Black	Price	Chrome	Price	Black	Price	Chrome	Price
Chevy/GMC Silverado/Sierra 1500											
2014	Reg. Cab	WES23-3700		WES23-3705		WES25-3700		WES25-3705		WES26-3700	
2014	Ext. Cab	WES23-3710		WES23-3715		WES25-3710		WES25-3715		WES26-3710	
2014	Crew Cab	WES23-3720		WES23-3725		WES25-3720		WES25-3725		WES26-3720	

### Oval Tube Step Bars

Westin's Oval Tube step bars are made of polished stainless steel or black powdercoat mild steel, and offer an extra-wide step surface for secure footing. They feature a newly designed step pad, grooved to channel water away during rainy weather, and the grooves extend end-to-end for maximum slip resistance. This step design also features molded caps for a clean, modern look. Mounting kit sold separately.




Year	Model	Premier 6"				4" Oval		Required	
		Stainless	Price	Black	Price	Chrome	Price	Mount Kit	Price
Chevy/GMC Silverado/Sierra 1500									
2014	Regular Cab	WES22-6000		WES22-6005		WES22-5000		WES22-2005	
2014	Extended Cab	WES22-6020		WES22-6025		WES22-5020		WES22-2015	
2014	Crew Cab	WES22-6040		WES22-6045		WES22-5040		WES22-2015	

**Note:** Mounting kit required for installation.

### Sure-Grip Running Boards

Sure-Grip running boards are designed to give your vehicle a stylish look, while providing easier entrance into the passenger area. They are made of extruded aluminum and your choice of clear anodized, or black powdercoated finishes.

The boards use a 4.5 in. wide rubberized step pad for secure footing and have molded polymer end caps. They require the use of a vehicle-specific mounting kit, which is sold separately.



Year	Model	Sure-Grip				Required	
		Brushed	Price	Black	Price	Mount Kit	Price
Chevy/GMC Silverado/Sierra 1500							
2014	Regular Cab	N/A		WES27-6105		WES27-2135	
2014	Extended Cab	WES27-6130		WES27-6135		WES27-2145	
2014	Crew Cab	WES27-6140		WES27-6145		WES27-2145	

**Note:** Mounting kit required for installation.

## 2014 CHEVY SILVERADO/GMC SIERRA FEATURED NEW PRODUCTS



### "OE" Style® Flares

#### Your Choice -

Adds up to .75" of tire coverage from road debris. Installs neatly in minutes for the perfect fit. OEM matte black smooth finish is easy to paint, 100% UV protected. Made in USA. Limited lifetime warranty.



Make	Model	Description	Part No.
Chevrolet	2014 Silverado 1500	69.3"/78.8"/97.8" Bed Lengths, Set of 4	BUS40956-02
GMC	2014-15 Sierra 2500/3500HD	78.8"/97.8" Bed Lengths, Set of 4	BUS40956-02

### Boss Pocket Style® Flares

#### BUS40958-02

Adds up to 2" of tire coverage. Installs easily with minimal drilling required. OEM matte black finish is easy to paint. 100% UV protected. Made in USA. Limited lifetime warranty.



Make	Model	Description
GMC	2014 Sierra 1500	Fits All Bed Lengths, Set of 4

### Pocket Style® Flares

Adds up to 2" of tire coverage from debris. Installs easily with minimal drilling required. OEM matte black finish is easy to paint. 100% UV protected. Made in USA. Limited lifetime warranty.




Make	Model	Description	Part No.	Price
Chevrolet	2014 Silverado 1500	69.3" Bed Lengths, Set of 4	BUS40959-02	
Chevrolet	2014 Silverado 1500	78.8"/97.8" Bed Lengths, Set of 4	BUS40957-02	
GMC	2014 Sierra 1500	All Bed Lengths, (Factory Mudflap removal Required For Fitment), Set of 4	BUS40960-02	



### Cat-Back System - Ultra Flo™ Welded Mufflers

Stainless steel construction for lifelong protection. 100% welded design for maximum durability. Straight through design ensures unrestricted exhaust flow and reduces back pressure. CRF Technology absorbs unwanted interior resonance while maintaining a deep performance tone.



Model	Description	Part No.	Price
2014 Silverado/Sierra 1500, 5.3L, V8, 3" Dual Split Rear Exit	Crew Cab/Short Bed; Double Cab/Standard Bed; Crew Cab/Standard Bed	DYN39530	
2014 Silverado/Sierra 1500, 5.3L, V8, 2.5" Rear Single Exit Behind Passenger Tire	Crew Cab/Short Bed; Double Cab/Standard Bed; Crew Cab/Standard Bed	DYN39529	



## 2014 CHEVY SILVERADO/GMC SIERRA FEATURED NEW PRODUCTS

### WeatherTech®



#### FloorLiner™ DigitalFit®

The FloorLiner™ advanced surface design has channels that carry fluid and debris, away from shoes and clothing, into a lower reservoir. The lower reservoir uses additional channeling to minimize fluid movement while driving. Once fluids become trapped in the reservoir, they are easily removed from the WeatherTech® FloorLiner™ over the door sill...No muss – No Fuss!



Make	Model	Color	Front Part No.	Rear Part No.
Chevrolet	Silverado 1500, Crew Cab	Black	WEA445421	WEA445422
Chevrolet	Silverado 1500, Crew Cab	Tan	WEA455421	WEA455422
Chevrolet	Silverado 1500, Crew Cab	Grey	WEA465421	WEA465422
GMC	Silverado 1500, Crew Cab	Black	WEA445421	WEA445422
GMC	Silverado 1500, Crew Cab	Tan	WEA455421	WEA455422
GMC	Silverado 1500, Crew Cab	Grey	WEA465421	WEA465422

#### TechLiner™ Bed And Tailgate Protection

WeatherTech® TechLiner™ is the easiest to install, custom-fit solution for protecting and preserving pickup truck beds. TechLiner™ armors your investment against scratches, dents, paint damage and rust by seamlessly lining the truck bed and tailgate. The liners "soft touch" material also helps prevent cargo from shifting yet provides ease to loading/unloading.



Year	Make	Description	Part No.
<b>Bed Liners</b>			
2014	Silverado/Sierra 1500/2500HD	5'8" Bed	WEA36905
2014	Silverado/Sierra 1500/2500HD	6'5" Bed	WEA37807
2014	Silverado/Sierra 1500/2500HD	8' Bed	WEA39710
<b>Tailgate Liners</b>			
2014	Silverado/Sierra 1500/2500HD	ALL	WEA3TG07

#### Side Window Deflectors


WeatherTech® Side Window Deflectors offer fresh air enjoyment with an original equipment look. They are crafted from the finest 3mm cast acrylic material available.



Model	Color	Front Part No.	Rear Part No.
<b>Chevrolet Silverado 1500</b>			
Crew Cab	Light Smoke	WEA70740	WEA83426
Crew Cab	Dark Smoke	WEA80740	WEA83740
Extended Cab	Light Smoke	WEA70740	—
Extended Cab	Dark Smoke	WEA80740	—
<b>GMC Sierra 1500</b>			
Crew Cab	Light Smoke	WEA70740	WEA83426
Crew Cab	Dark Smoke	WEA80740	WEA83740
Extended Cab	Light Smoke	WEA70740	—
Extended Cab	Dark Smoke	WEA80740	—

#### Mudflaps

"Mounts in minutes" in most applications without tire/wheel removal or drilling. Contoured specifically for each vehicle model, No-Drill MudFlaps are molded from a proprietary thermoplastic resin.



Make	Model	Front Part No.	Rear Part No.
Chevrolet	Silverado 1500	WEA110035	WEA120035
GMC	Sierra 1500	WEA110036	WEA120036

#### All Weather Mats

All-Weather Floor Mats, made from odorless material, include deeply sculpted channels to trap water, road salt, mud and sand. A proprietary resin prevents curling, cracking or hardening, even in sub-zero conditions. Anti-skid ridges prevent shifting and a protective, nonstick finish eases cleanup.



Model	Color	Front Part No.	Rear Part No.
<b>2014 Chevrolet Silverado/ GMC Sierra</b>			
Regular Cab	Black	WEAW308	—
	Tan	WEAW308TN	—
	Grey	WEAW308GR	—
Extended Cab	Black	WEAW309	WEAW310
	Tan	WEAW309TN	WEAW310TN
	Grey	WEAW309GR	WEAW310GR
Crew Cab	Black	WEAW309	WEAW311
	Tan	WEAW309TN	WEAW311TN
	Grey	WEAW309GR	WEAW311GR

## 2014 CHEVY SILVERADO/GMC SIERRA FEATURED NEW PRODUCTS



### Stainless Cat-Back System Performance Exhaust

Whether you drive a street, off-road or diesel truck/SUV, MagnaFlow has DYNO-PROVEN exhaust systems that are rugged enough to survive grueling Baja racing. Each system is designed to bolt right on and provide years of trouble-free performance.

Year	Model		Part No.	Price
2014	Silverado/Sierra 1500	V8 5.3L; Crew Cab/Short Bed (69.3" Bed), Extended Cab/Short Bed, 78.7" 5 x 8 x 18" Muffler: 3.0/2.5in. Tubing; 4.0in. Stainless Tips; DUAL SPLIT REAR EXIT	MAG15268	
2014	Silverado/Sierra 1500	V8 5.3L; Crew Cab/Short Bed (69.3" Bed), Extended Cab/Short Bed, 78.7" 5 x 8 x 18in. Muffler: 3.0/2.5in. Tubing; 3.5in. Stainless Tips; DUAL SPLIT REAR BEHIND REAR TIRES	MAG15269	



### RideCONTROL 59500 Series

The Air Lift Ride Control System fits leaf spring applications and is ideal for light to medium hauling. Alignment tool provided for accurate and easy installation. **Kits include:** air springs, lines, fittings, brackets, hardware and illustrated instructions. Air adjustable from 10 to 100 psi for up to 2,000 lbs. leveling capacity. Lifetime Warranty.



Description	Drive	Standard Rear Kit	Price
2014 Silverado/Sierra 1500, Not Long Bed	2 & 4	AIR59565	
2014 Silverado/Sierra 1500, Long Bed Only	2 & 4	AIR59567	

### LoadLifter5000™

Up to 5,000 pounds of leveling capacity. Does not interfere with in-bed hitches. Air adjustable from 5 to 100 PSI. Includes roll plates to protect the air springs. Most kits require no drilling into the frame. Lifetime Warranty.



Description	Drive	Standard Rear Kit	Price
2014 Silverado/Sierra 1500, Not Long Bed	2 & 4	AIR57204	
2014 Silverado/Sierra 1500, Long Bed Only	2 & 4	AIR57211	



### 3" Round Polished Stainless Steel Nerf Bars

Tough, 14-gauge steel construction. Molded plastic step pads ensure secure footing. 90° bends and hidden bracing create a sleek look. No-drill, custom fit applications for easy installations.



Year	Model	Part No.	Price
2014	Silverado 1500/Sierra 1500, Extended Cab	DZZ372523	
2014	Silverado 1500/Sierra 1500, Crew Cab	DZZ372533	

### 4" Oval Polished Stainless Steel Nerf Bars

Tough, 14-gauge steel construction. Wide profile creates a bigger step area. 90° bends and hidden bracing create a sleek look. No-drill, custom fit applications for easy installations. Molded plastic step pads ensure secure footing.



Year	Model	Part No.	Price
2014	Silverado 1500/Sierra 1500, Extended Cab	DZZ372527	
2014	Silverado 1500/Sierra 1500, Crew Cab	DZZ372537	



## 2014 CHEVY SILVERADO/GMC SIERRA FEATURED NEW PRODUCTS



### 2014 GM Silverado/Sierra K1500 Pick Up 4WD 4x4 Kits And Systems

The 2014 GM K1500 maintains an upper and lower control arm with coilover shock suspension like the 2007-13 models. However, certain models will now have an aluminum steering knuckle and aluminum upper and lower control arms. Initially, this GM aluminum suspension is planned for Crew Cab's with 5'8" beds and regular cabs with 6'6" beds, but may change at any time. Before ordering a suspension lift, you must visually check and determine if vehicle is equipped with steel or aluminum stock suspension. Skyjacker offers different suspension lifts to accommodate the GM steel or aluminum suspension, but they are different and will not interchange. Maximum Tire is 35 x 12.5 Back Spacing is 18"-125mm / 20"-155mm.

**Note:** OEM wheels can be used, except OEM 18" wheels will require optional wheel spacer kit. (Part SKYWSP655).

**Steel Kit** includes front upper and lower strut spacers, front steering knuckles, front & rear cross members, front differential skid plate, front differential relocation brackets, front CV-axle spacers, front sway bar end links & relocation brackets, front brake lines, rear brake line relocation bracket, rear emergency cable relocation bracket, rear blocks, and rear u-bolts.

#### 6" Kit With Front Strut Spacers

Description	Part No.	Quality
<b>Steel Kits</b>		
Component Box	SKYC14661A	1
Component Box	SKYC14660SP	1
Component Box	SKYC14661PR	1
<b>Aluminum Kits</b>		
Component Box	SKYC14661AAL	1
Component Box	SKYC14660SP	1
Component Box	SKYC14661PR	1
<b>Order Shocks Separately</b>		
Rear Hydro 7000 Shock With Red Boot	SKYH7036	2
Rear Nitro 8000 Shock With Red Boot	SKYN8036	2

#### 6" Kit With Front Struts

Description	Part No.	Quality
<b>Steel Kits</b>		
Component Box	SKYC14661A	1
Component Box	SKYC14661ST	1
Component Box	SKYC14661PR	1
<b>Aluminum Kits</b>		
Component Box	SKYC14661AAL	1
Component Box	SKYC14661ST	1
Component Box	SKYC14661PR	1
<b>Order Shocks Separately</b>		
Rear Hydro 7000 Shock With Red Boot	SKYH7036	2
Rear Nitro 8000 Shock With Red Boot	SKYN8036	2

**Aluminum Kit** includes front struts, lower strut spacers, front steering knuckles, front & rear cross members, front differential skid plate, front differential relocation brackets, front CV-axle spacers, front sway bar end links & relocation brackets, front brake lines, rear brake line relocation bracket, rear emergency cable relocation bracket, rear u-bolts, & rear leaf springs.

#### 6" System

#### With Front Strut Spacers And Rear Leaf Springs

Description	Part No.	Quality
<b>Steel Kits</b>		
Component Box	SKYC14661A	1
Component Box	SKYC14661ST	1
Component Box	SKYC7661PRS	1
Rear Leaf Spring	SKYCR55S	2
<b>Aluminum Kits</b>		
Component Box	SKYC14661AAL	1
Component Box	SKYC14661ST	1
Component Box	SKYC7661PRS	1
Rear Leaf Spring	SKYCR55S	2
<b>Order Shocks Separately</b>		
Rear Hydro 7000 Shock With Red Boot	SKYH7036	2
Rear Nitro 8000 Shock With Red Boot	SKYN8036	2



## 2014 CHEVY SILVERADO/GMC SIERRA FEATURED NEW PRODUCTS



The Performance Intake Company

### Intake Systems

Feature a large, one piece, rotational molded air box to keep heat away from intake, while the totally redesigned air intake tube, made from cross-linked, high-density poly-ethylene, maintains mass air flow readings for functionality and correct air-fuel ratio.



Year	Model	Part No.	Price
2014	Silverado 1500/Sierra, V8, 5.3L, Oiled	ARA200-285	
2014	Silverado 1500/Sierra, V8, 5.3L, Dry	ARA201-285	



### Super Hoop

Rocker panel installation provides the strongest and easiest way to mount on any truck or SUV. Features include a 20" wide flat step, 3" tubular design, corrosion resistant cast aluminum construction, rugged diamond tread pattern provides a safe and attractive non-slip surface. Sold in Pairs.

Model	Polished Part No.	Black Part No.	Price
2014 Sierra/Silverado 1500	CTA124032	CTA124031	
2014 Sierra/Silverado 2500/3500HD	CTA124032	CTA124031	



LEVELING SUSPENSION



### Leveling Kits And Block Kits For 2014 Silverado And Sierra



The ReadyLIFT® 66-series Smart Suspension Technology (SST®) Leveling Kits feature vehicle-specific engineering and each kit is designed to provide a level stance along with clearance for maximum wheel/tire size, all while maintaining your factory ride.

The Rear Block Kits include (2) cast iron blocks, (4) E-coated U-bolts, (8) nuts and washers and will safely lift the rear of your truck and additional 1"-3".

Model	2WD/4WD	Max Lift	Part No.
<b>Leveling End Kits</b>			
Silverado/Sierra 1500	6 LUG	1.0"-1.5"	RDY66-3090
Silverado/Sierra 1500	6 LUG	2.25"	RDY66-3085
Silverado/Sierra 1500	6 LUG	1.5"	RDY66-3080
<b>Rear Block Kits</b>			
Silverado/Sierra 1500	6 LUG	3"	RDY66-3003
Silverado/Sierra 1500	6 LUG	2"	RDY66-3002

### Hoop II

Rocker panel installation provides the strongest and easiest way to mount on any truck or SUV. Features include a 10" wide flat step, corrosion resistant cast aluminum construction, rugged diamond tread pattern provides a safe and attractive non-slip surface. Sold in Pairs.



Black Part No.	Polished Part No.	Price	Titanium Silver Part No.	Price
<b>2014 Sierra/Silverado 1500</b>				
CTA103991	CTA103992		CTA103994	
<b>2014 Sierra/Silverado 2500/3500HD</b>				
CTA103991	CTA103992		CTA103994	





## 2014 CHEVY SILVERADO/GMC SIERRA FEATURED NEW PRODUCTS

**DIABLOSPORT®**  
GAS AND DIESEL TUNING SYSTEMS

### Trinity Programmer

**For 2014 Silverado/Sierra 1500 5.3L, V8**

**DBLT1000**



- Support for GM and future vehicle platforms
- Features an advanced user interface system based on Diablo Sport's own Chipmaster Revolution tuning software. Included in Trinity's software package is an advanced data viewer interface system allowing the user to see precise vehicle information, read and clear trouble codes, and much more.
- Capable of real time and records data through your vehicle's OBD2 port or external sensors, contains a CAN port for interface to external peripherals.
- USB port for high speed data transfer.
- GPS, customized Skins, video capability, tune on the fly options, and many more.
- High resolution 320x240 backlit color touchscreen display for live data monitoring and viewing in all conditions.
- High Speed flash tuning, advanced diagnostics & monitoring from a gauge pod mounted compact device. No modifications to your current gauges.

### inTune Programmer

**For 2014 Silverado/Sierra 1500 5.3L, V8**

**DBLI1000**



- Stainless steel construction housing, full-color touch screen that fits into your pocket!
- Easy to use installation program with preloaded multiple tunes for each application, and enough memory to store hundreds of custom tunes.
- Dual processors provide blazing fast downloads and programming protocol.
- Drag and drop file transfers (tunes, updates, etc...).
- Virtually unlimited datalogging (based on memory).
- Removable cables (power, USB, data) for simple storage.
- External sensor inputs (0-5v analog devices).
- Universal diagnostic tool-use on any OBD2 vehicle
- DiabloSport's "vehicle protocol engine" monitor.
- Includes Mileage Booster and Throttle Booster programs.
- WARRANTY SAFE- no watermarks, fingerprints, or counters.
- Helpful tool tips included.
- Can be used on multiple vehicles (one vehicle at a time).
- 1-year limited lifetime warranty.
- FREE AUTOMATIC ONLINE UPDATES FOR LIFE!

**extang** **New Vendor!** *Call For Pricing*  
AMERICA'S #1 SELLING TONNEAUS

### Hard Lid Tonneau **SOLID FOLD**

Extang's tri-folding hard lid tonneau cover.

Installs in seconds!! No tools required. Fastest installation and removal of any hard tonneau on the market.

Tonneau is completely assembled, no spare parts or tools required. Extang engineered design, made from aircraft grade aluminum alloy.

Great looking, black textured (poly-tex) paint finish. Easy to use clamping system.



Model	Description	Part No.
2014 Sierra/Silverado 1500	5'8" Bed	EXT56445
2014 Sierra/Silverado 1500	6.5' Bed	EXT56450

### Tri-Fold Tonneau Cover

**TRIFECTA™**

Extang engineered tri-fold style tonneau cover.

Fast, easy, no assembly required.

No tools. Extang engineered with precision. 45° steel corner brackets, commercial grade rails and I-Beam

style Monster Bows provide unparalleled strength.

**SafetyKlamps:** Extremely strong glass-filled nylon construction, will never break. Heavy-duty luggage style Hold-Tite fasteners secure the tonneau in the open position at the cab.



Model	Description	Part No.
2014 Sierra/Silverado 1500	5'8" Bed	EXT44445
2014 Sierra/Silverado 1500	6.5' Bed	EXT44450

## 2014 CHEVY SILVERADO/GMC SIERRA FEATURED NEW PRODUCTS



### Power Lock For 2014 Silverado/GMC Sierra 1500

POPPL8140

- Automatically locks tailgate when power doors are locked
- Mounts inside the tailgate hidden from view
- Tamperproof design
- No drilling required of corrosion surface
- Available for trucks with or without a factory tailgate lock



The World Leader In High-Performance Engine Tuning For Computer-Controlled Vehicles

### Max Energy Power Programmer For 2014 Silverado/GMC Sierra 1500 5.3L HYT32501

Hypertech's Max Energy Power Programmer is the "no compromise" performance tuner. Hypertech delivers maximum power and performance – optimized tuning over the entire RPM band, proper transmission shifting, improved fuel mileage and many other adjustable features to customize a vehicle. Install with confidence; Hypertech is a great choice.



#### Features:

- More Horsepower & Torque
- Improved Fuel Economy\*
- 50-State Emissions-Legal
- Easy Plug-And-Play Installation
- Adjust Shift Points & Firmness
- Raise Top-Speed & Rev Limiter
- Correct Speedometer For Up To 54" Tires And Non-Stock Rear Gears
- Adjust Cooling Fan Temps
- Diagnostics
- Capable of Internet Updates



### Cat Back Exhaust Systems

Part No.	Body Style	Engine Type	Wheel Base	Exit Configuration	Price
<b>2014 Silverado/Sierra 1500</b>					
COR14867	Regular Cab/ Standard Bed	5.3L V8	119"	Dual Rear Exit	
COR14868	Regular Cab/ Long Bed	5.3L V8	133"	Dual Rear Exit	
COR14869	Crew Cab/ Short Bed	5.3L V8	143.5"	Dual Rear Exit	
COR14870	Crew Cab/ Standard Bed	5.3L V8	153"	Dual Rear Exit	



**BULLY DOG**  
MAKING EVERY RIDE A BULLY!

### Triple Dog GT Gas Gauge Tuner

#### Features:

- Triple Dog GT Gas Features Economy Tune (85 Octane) 12-20 Horsepower, Performance Tune (91 Octane) 25-30 Horsepower
- Reads And Erases DTC's
- Download Features Speed Limiter, Rev Limiter, Calibrate OEM Speedometer, Transmission Tunings
- Vehicle Options Offer Selt Belt Reminder Chime, Auto Door Lock,
- High Rev Function, Adjust Timing + OR- 2 Degrees



#### GT GAS

Model	Description	Part No.	Price
2014 Sierra/Silverado 1500	Not For Sale in California	BUL40415	
2014 Sierra/Silverado 1500	50 State	BUL40410	



## 2014 CHEVY SILVERADO/GMC SIERRA FEATURED NEW PRODUCTS

### ROUGH COUNTRY SUSPENSION SYSTEMS®

We offer a Rough Country suspension lift for most trucks. The lift kits are designed with the installer in mind with ease of installation as well as on and off road performance.

- Built to withstand conditions that cause stock suspensions to fail
- Make sure your truck is ready for the trail or off-road driving - raise its height for increased ground clearance and better protection
- Kit allows room for larger tires and wheels.

EVERYTHING you need, Stout upper strut spacers, a beefy front and rear skid plate, our Heavy Duty Front and Rear Crossmembers, and a set of differential and sway-bar drop brackets, control arm drop brackets, steering brace and extension, brake line brackets, rear fabricated anti-wrap lift blocks. Also included are a set of our Nitrogen charged N2 Shocks!

#### 5" GM Silverado/Sierra 1500 Suspension Lift Kit RCS291.20

Ability to run up to an impressive 33-inch tire on factory 20-inch wheels.



#### 7" GM Silverado/Sierra 1500 Suspension Lift Kit RCS290.20

Ability to run up to an impressive 35-inch tire on factory 20-inch wheels.



#### For 2014 GM Silverado/Sierra 1500 5.3L The Head-Turning Sound Of Straight-Through Power

S-Type just the right blend of packing filament, straight through core dimensions, core perforation pattern, and cylindrical shape to deliver the intoxicating BORLA® "Sound of Power" with every squeeze of the throttle.

Part No.	Product Type	Tip Size	Tip Description	Exit	Price
<b>Automatic/Manual Trans. Crew Cab Standard Bed (78.7") 153" Wheel Base</b>					
BOR140548	Cat-Back™	4"	Single Round Rolled Angle-Cut	Split Side	
BOR140539	Cat-Back™	4"	Single Round Rolled Angle-Cut	Split Rear	
<b>Automatic/Manual Trans. Extended Cab Standard Bed (78.7") Crew Cab Short Bed (69.3") 143.5" Wheel Base.</b>					
BOR140545	Cat-Back™	4"	Single Round Rolled Angle-Cut	Split Side	
BOR140536	Cat-Back™	4"	Single Round Rolled Angle-Cut	Split Rear	



#### OE Replacement Air Filters For 2014 GM Silverado/Sierra 1500 5.3L KNE33-2129

- Increase Horsepower and Acceleration
- Never Needs Replacement
- Washable/Reusable
- Made in the USA



#### Oil Filter For 2014 GM Silverado/Sierra 1500 5.3 KNEHP-2011



A real winner on the street. Its filter media has maximum surface area and can withstand a hydrostatic burst of over 550 psi, while an anti-drainback valve eliminates dry starts. A sturdy 1" wrench nut eases removal.



## Brake Caliper Pressure Test Kits

Brake system troubleshooting tool allows checking brake pressure at the caliper, quickly and accurately. Each kit is packed in a neat, foam-lined case.



Part No.	Description	Price
QRP64-510	1/8" NPT, Most Aftermarket Calipers	
QRP64-511	10mm-1.50, GM Metric Calipers	

## Brake Bleeder Bottle

QRP66-700


Eliminates messy brake bleeding. Bleeder bottle has a high grade surgical hose for a secure seal on bleeders and includes an extra nipple to put your hose on once bleeding is complete. Steel lanyard allows hanging bottle on chassis during bleeding process.



## Valve Core Remover

QRP56-119

Compact, pocket-sized tool allows quick valve core replacement and valve stem repair.



## Aluminum Tire Caliper

QRP64-706

Lightweight aluminum tire caliper measures circumference quickly and accurately, from 65" to 115".



## Tire Marker Kit

QRP64-401

Perfect for marking sizes, circumferences and locations, kit includes a silver tire pen and white tire marker.



## Tire Tape

QRP56-110

Hawk tip design securely grabs onto virtually any surface and won't pull loose. Includes a magnetic back and measures up to 10'.



## Economy Digital Tire Pressure Gauge

QRP56-070

Economically-priced digital tire pressure gauge, which measures 0-100 PSI in 1/2 lb. increments and uses an auto-off feature for extended battery life, is more shock resistant than analog style gauges. Gauge includes a 14" long hose with 45° air chuck and bleeder for quick pressure adjustments.



## Tire Pressure Gauge Holster

QRP56-010

Holster with belt loop keeps your tire gauge conveniently close and safe. May also be mounted in trailer or on tool boxes.



## AN Aluminum Angle Head Wrench Set

QRP64-709

Aluminum AN wrenches feature an angle head design for improved fitting access. Five-piece set includes -6AN, -8AN, -10AN, -12AN and -16AN.







**LIMITED SUPPLY**

## Steel Mono-Tube PG Series Shocks

Pro Shocks Steel Mono-Tube shocks are the only Mono-Tube shock that can be run with high gas pressure, low gas pressure or even "zero" gas pressure. Shocks feature a hi-tech floating piston and an advanced seal system to prevent cavitation. These shocks are racer revalvable, repairable and are designed for Asphalt/Dirt Sportsman, Asphalt/Dirt Modifieds and Asphalt/Dirt Late Models. When used with PROC300 (available separately) they can be used in Coil-Over applications.



Part No.	Stroke	Comp	Rebound	Coil-Over Kit
<b>Standard Valving</b>				
PROPG730B	7"	3	3	C300
PROPG735B	7"	3	5	C300
PROPG740B	7"	4	4	C300
PROPG750B	7"	5	5	C300
PROPG753B	7"	5	3	C300
PROPG930B	9"	3	3	C300
PROPG935B	9"	3	5	C300
PROPG940B	9"	4	4	C300
PROPG950B	9"	5	5	C300
PROPG953B	9"	5	3	C300



**FREE**

Combo Pack of Locking Ties  
With Purchase of Exhaust Wrap

## Exhaust Wraps

Exhaust Wrap is made of high temperature fiberglass composite material with a proprietary coating designed to enhance heat retention and withstand continuous direct heat up to 1200°F.



Must Use Part Numbers  
Listed Below


Part No.	Description	Price
DSN010102-1	Natural Wrap -Two Rolls of 2" x 50' And FREE Locking Ties (Eight 8" and Four 14" Stainless Steel Ties)	
DSN010108-1	Black Wrap -Two Rolls of 2" x 50' And FREE Locking Ties (Eight 8" and Four 14" Stainless Steel Ties)	
DSN010127-1	Titanium Wrap -Two Rolls of 2" x 50' And FREE Locking Ties (Eight 8" and Four 14" Stainless Steel Ties)	



**NEW LOWER PRICE!**

## Ultra Cool Brake Fans

Race tested and proven to effectively lower brake temperatures, Ultra Cool Brake Fans save race teams money by extending rotor and pad life. Patent-pending brake fans are the only product currently available that cools the wheel side of the caliper, providing more CFM of cooling air, while remaining lighter and more cost effective than traditional brake duct, hose and blower systems. Product simply sandwiches between the hub and wheel, and may be double stacked for even greater air flow. Brake fans are sold as left or right applications and are designed for use with 5/8" studs.



Description	Left Part No.	Right Part No.	Price
Small 5, 4-1/2" Thru 5-1/8" B.C., 3-7/16" Center Hole	UCBLMBFS5-625L*	UCBLMBFS5-625R*	
Wide 5, Fits 0" Thru 6" Offset Wheels	UCBLMBFW5L†	UCBLMBFW5R†	

\* Does not fit Cup style or most street car hubs due to fan blade to caliper interference.

† Fits only steel wheels with rectangular cut holes between lug holes in flange.



Patented Tools For The Perfect Brake Job

**LIMITED SUPPLY**

## MaxPro Reverse Brake Bleeder System

PHS2002-B

MaxPro reverse professional brake bleeder system bleeds brakes in 10-minutes or less - even if it's a tough ABS job. The Phoenix MaxPro reverse brake bleeder kit is a revolutionary tool based on an incredibly obvious concept, air wants to go up. Traditional tools fight this principle. The MaxPro brake bleeder pushes the air up and out! Phoenix reverse bleeding is patented and approved by GM, Raybestos, Bendix, and the U.S. Military. Complete with instructional DVD and user's manual.





## Jacobs Ladder

13-5/8" Jacobs Ladder includes standard straps or no straps (nuts and bolts not included.) Plated and jig built for quality and exact fit. CNC-machined lightweight straps are also available. Offered in polished or black finishes.



TXRSCSU0004



TXRSCSU0004BLK

Description	Polished Part No.	Black Part No.	Price
13-5/8" Jacobs Ladder With No Straps	TXRSCSU0002	TXRSCSU0002BLK	
13-5/8" Jacobs Ladder With Standard Straps	TXRSCSU0004	TXRSCSU0004BLK	
14" Jacobs Ladder With No Straps	TXRSCSU0006	TXRSCSU0006BLK	
14" Jacobs Ladder With Standard Straps	TXRSCSU0008	TXRSCSU0008BLK	

## Body And Panels

Gel-coated fiberglass components are lightweight and strong. Available in black or white.



TXRSCBW0031BLK

Description	Polished Part No.	Black Part No.	Price
Upper Right Panel (Horizontal Split Design)	TXRSCBW0031	TXRSCBW0031BLK	
Upper Left Panel (Horizontal Split Design)	TXRSCBW0033	TXRSCBW0033BLK	

## SB Chevy Fabricated Aluminum Valve Covers

TXRSCG0003

Super lightweight, polished aluminum valve covers feature billet machined rails for dependable, effective sealing. Sold in pairs.



## Frame Stand/Dolly

TXRPA0002

Specialized dolly is ideal when building or repairing Sprint car chassis. Plated, sturdy unit includes height adjustment feature and heavy duty casters to ease movement. Removable 1" block allows use with standard or raised rail chassis. Sold in pairs.



## Hyper-Gate 45

TBSTS-0506-1002



45mm external wastegate has minimal size and maximum flow. Features include a unique locking collar for quicker spring changes. Index cap orientation offers 12 different clocking positions and fits all 44mm flanges. Supplied with inlet and outlet weld flanges and V-band clamps, valve seat, 2 x 1/16" NPT banking plugs and nipples and a collar removal tool.

## Liquid Filled Fuel Pressure Gauge

TBSTS-0402-2023



Glycerin-filled stainless steel fuel pressure gauge fits all TurboSmart fuel pressure regulators. Features a 1/8" NPT male centered port. 0-100 PSI range mechanical gauge.

## Blow-Off Valve Race Port, Black

TBSTS-0204-1102



High-flowing BOV features a unique collar design that's 46% lighter and 25% smaller than previous BOV. The race port provides greater performance, faster turbo spool up from idle, and reduced turbo lag between gears. Made for large capacity turbocharger systems on high horsepower.

## Gated Boost Control Valve Boost Tee

The TurboSmart GBCV adjusts boost pressure above the standard pressure setting. GBCV delays the pressure signal from entering the wastegate, which, in turn, spools up the turbo faster, resulting in more boost at lower engine RPM. Adjust the boost dial on top without tools. Easy 10-15 minute installation.



Part No.	Description	Price
TBSTS-0101-1001	Blue Tee	
TBSTS-0101-1002	Black Tee	

## Kompact 25mm Plumb Back Blow-Off Valve

TBSTS-0203-1222

The Kompact plumb-back blow-off valve replaces the factory BOV with higher performance. Recirculates all excess pressure back into the intake system. Full recirculating BOV.








## Harmonic Balancers

Crank hub is bonded to the outer ring with durable rubber to prevent spinning and separating. Models meet SFI 18.1 specification.



Part No.	Description	Dia.	Wt.	Price
<b>Chevy</b>				
PBBPB1046-SS	SB Chevy 283-350	8"	11.2 lbs.	
PBBPB2221-SS	SB Chevy 283-350, Internal Balance	6.75"	8.1 lbs.	
PBBPB1012-SS	SB Chevy 283-307, Lightweight, Internal Balance	6.1"	5.5 lbs.	
PBBPB1018-SS	BB Chevy 454, External	8"	15.9 lbs.	
PBBPB1019-SS	BB Chevy 454, Lightweight, Internal	7"	9 lbs.	
<b>Ford</b>				
PBBPB1060-SS	SB Ford 302-351W, 4-Bolt, Raised Pulley, 28 oz. in.	6.5"	11.4 lbs.	
PBBPB1086-SS	SB Ford 302-351W, 4-Bolt, Lightweight, Internal Balance	6.37"	8 lbs.	



## SB Ford CT-1 Calico Coated Rod and Main Bearings



Calico CT-1 is dry film lube with superior protection from extreme conditions in high performance engines. CT-1's submicron-sized particles of MoS2 (molybdenum disulfide), graphite or PTFE solid lubricants disbursed through resin blends and solvents.

### Properties & Advantages:

- Clevite 77 H-Series Engine Bearings Narrow Design
- Applied Dark Gray CT-1 Dry Film Lubricating Coating
- Increases Load Carrying Capacity, Running At 184,000 PSI For Two Hours With No Lubrication
- Fuel Resistance, Corrosion Protection, And Reduced Friction
- Typical Coating Thickness .0002"-.0004" Provides Intermittent Dry Lubrication


Part No.	Description	Price
<b>Coated Performance Rod Bearings, Each</b>		
CLCCB634HN	SB Ford 289-302, Rod Bearing, Standard, Calico CT-1 Coated, Each	
CLCCB634HXN	SB Ford 289-302, Rod Bearing, With Extra Clearance, Calico CT-1 Coated, Each	
<b>Coated Performance Large Journal Main Bearing Set</b>		
CLCMS590H	SB Ford 289-302 Main Bearing Set, Standard, Calico CT-1 Coated	
CLCMS590HX	SB Ford 289-302 Main Bearing Set, With Extra Clearance, Calico CT-1 Coated	



## 100 Amp GM Alternator

PWM17294

Chrome plated alternator is dyno tested and labeled with a proof of performance dyno tag showing the actual output. Rated at 100 Amp and 70 Amps at idle, alternator can be used as a 1- or 3-wire configuration.



## Racing Alternator

Light, compact racing alternator is a true, one wire hookup. Denso 93mm model has low drag, high speed bearings, gold battery posts and proof of performance tags with black, high temperature finish. Pulley not included.



Part No.	Description	Amps	Finish	Weight	Part No.
PWM8162	Denso 93mm Alternator	50 Amp	Black	5.68 lbs.	

## Racing Starters

4.4:1 gear reduction ratios and Infi-Clock feature to provide maximum header and oil pan clearance with an adapter block and clocking system.

XS Torque weighs 8.5 lbs. and has 200 ft./lbs. of cranking power for engines with up to 18:1 compression ratios.



Part No.	Description	Price
<b>Chevy, 153-/168-Tooth Flywheel</b>		
PWM9500	XS Torque (Fits 168-Tooth Only)	
<b>Ford</b>		
PWM9503	XS Torque Ford SB V-8 All A/T plus M/T w/157T Flywhl 3/4" depth	
<b>Bert/Brinn Transmission</b>		
PWM9514	XS Torque (Not Adjustable)	

## GM 12si Style Alternator

PWM8002

Powermaster GM Delco style 100 AMP alternator has one-wire hookup, an internal regulator, a gold iridized V-Belt pulley and fan, a gold plated battery post for a positive connection and a proof-of-performance tag. Cast aluminum.






## Street Demon 625

DMN1901

Street Demon redefines the street carburetor with clean looks, ease of use, and wicked power! 625 CFM Street Demon polymer with ball burnished Finish

### Features include;

- Smooth One Piece integrated fuel/main body design which eliminates all potential leak paths.
- Triple Stack primaries – small 1-3/8" primary throttle bores combined with Triple Stack boosters deliver amazing crisp throttle response.
- Smooth One Piece Air Horn Assembly with a single fuel inlet.
- 2-stage metering rods with 4 optional vacuum step-up springs.
- Goggle Valve Secondary – over twice the air flow of the primary bores.
- Secondary Air Valve Control – Torsion spring valve control/adjustment for seamless primary to secondary throttle response regardless of the opening rate.
- Electric Choke Management.
- Integrated 700R4/200R4 transmission kick down mounting.
- Ford kickdown lever.
- Dual mounting bolt pattern for square and spread-bore intakes.



## Road Demon 625 CFM Carburetor With Electric Choke

DMN4282010VE


The road demon 625 CFM carburetor is calibrated for 302-400 c.i.d. modified street and light truck engines rated at 250-350 horsepower. Features a smooth patented air entry and choke tower design, max-density cast metering blocks, adjustable jets, four corner idle, billet aluminum baseplate, large capacity fuel bowls with sight glasses, vacuum secondaries, and dual feed fuel inlet.



## Mighty Demon 850 CFM Carburetor

DMN5563010GC


The mighty demon is calibrated for a well prepared 480-540 c.i.d. engines. Features an all-aluminum metering blocks, billet aluminum base plate, large capacity fuel bowls with sight glasses, patented streamlined air entries, no-choke, 4-corner idle adjustability, dual feed inlet, and mechanical secondaries with tunable idle.



## Speed Demon 650 CFM Vacuum Secondary Carburetor With Electric Choke

DMN1282010VE


The Speed Demon carburetor is calibrated for 302-427 c.i.d. muscle cars, and trucks with a mild performance engines requiring a vacuum secondary. Features an all-aluminum metering blocks, billet aluminum base plate, large capacity fuel bowls with sight glasses, patented streamlined air entries, electric choke, 4-corner idle adjustability, dual feed inlet.



## Speed Demon 750 CFM Carburetor

DMN1402010


The Speed Demon carburetor is calibrated for 302-427 c.i.d. mild performance muscle car engine applications with a camshaft profile of 220 to 240 degrees duration at .050" lift. Features an all-aluminum metering blocks, billet aluminum base plate, large capacity fuel bowls with sight glasses, patented streamlined air entries, no-choke, 4-corner idle adjustability, dual feed inlet, and mechanical secondaries with tunable idle.



## Bump Steer Gauge

TAN56100

The Tanner Bump Steer Gauge is the only one that will work with one or two dial indicators (two are included). Measures 6" of travel and fits all hub designs. Adjustable to work at ride height, or on jack stands.





## Dura-Bond A MELLING COMPANY



### Cam Bearings

Dura-Bond Cam Bearings are offered in standard or over-sizes. American-made bearings withstand high valve spring pressures and have the excellent surface characteristics of babbit. Use Standard Performance cam bearing sets with hydraulic and solid lifter cams. High Performance sets are ideal for roller cams with higher lift and spring loads. Some bearings are available with fluoropolymer composite coating for increased oil retention and decreased friction. Specify size when ordering.

Part No.	Description	Price
<b>Chevrolet</b>		
DURCH-8	SB Chevy, 1964-99 283-400, Standard Performance	
DURCHP-8	SB Chevy, 1964-99 283-400, High Performance	
DURCHP-8T	SB Chevy, 1964-99 283-400, High Performance Coated	
DURDT-1T	SB Chevy, Dart "Little M", High Performance Coated	
DURCHP-10	Hp Cam Bearing Set - GM LS1	
DURCH-12	BB Chevy, 1967-99 396-454, Standard Performance	
DURCHP-12	BB Chevy, 1967-99 396-454, High Performance	
DURCHP-12T	BB Chevy, 1967-99 396-454, High Performance Coated	
DURCHP-23	HP Cam Bearing Set - GM LS2/LS3	

## Marshall I N S T R U M E N T S

### 5" Memory Recall Tachometer

Two 10,000 RPM tachs to choose from; one with memory recall and one with memory recall and an external shift light. Available with black or white dial face.



Part No.	Description	Price
MAR3092	5" Tach With Recall, Black Face	
MAR3096	5" Tach With Recall And External Shift Light, Black Face	
MAR3292	5" Tach With Recall, White Face	
MAR3296	5" Tach With Recall and External Shift Light, White Face	

## CROWER every part for power

### Severe Duty Roller Lifters

Ideal for high RPM and high cylinder pressure, lightweight lifters have billet alloy bodies, and heavy duty blades which are raised for use with late model blocks. "HIPPO" (Hi-Pressure Pin Oiler) lifters have a .024" orifice to direct oil to the needle bearings, improving durability. Choose standard or offset designs. Sets of 16.



Part No.	Description	Price
CRO66291H-16	BB Chevy Mark V 454, .842" Dia., "HIPPO"	
CRO66292-16	SB Chevy 262-400, Offset Int., .842" Dia.	
CRO66292H-16	SB Chevy 262-400, Offset Int., .842" Dia., "HIPPO"	

### "Coolface" Solid Lifters

A .024" oil metering port is machined into the face of the lifter to improve durability with no significant oil pressure loss. Ideal for high RPM engines with high rocker arm ratios and valve spring pressures. Sold in set of 16.



Part No.	Description	Price
CRO66900X980-16	Mechanical Flat Tappet Lifters Chevrolet & Buick V8	

**Note:** Block restrictors are not recommended with "Coolface" solid lifters.

### Stainless Steel Rollerized Rocker Arms

Light, narrow bodied rocker arms are made of 17-4PH stainless steel, heat treated and fitted with oversized needle bearings, sure-lock rocker nuts and ball race steel tip rollers. Rockers have plenty of clearance for large diameter valve springs and high lift camshafts. Set of 16.




Part No.	Description	Ratio	Stud	Price
CRO73601-16	SB Chevy 265-400	1.5	7/16"	
CRO73605-16	BB Chevy 396-454	1.7	7/16"	




## High Performance Timing Chain Sets

Rollmaster double roller timing sets are available in Red Series and Gold Series. Red Series standard billet steel sets have an induction hardened, nine-keyway crankshaft sprocket and IWIS double roller chain. Gold Series sets include the addition of premium billet, nitrided sprockets for extended life.



Part No.	Description	Price
<b>Chevrolet Small Block 262-400</b>		
ROLCS1050	Gold Series With Torrington Bearing	
ROLCS1040	Red Series, Small Block 262-400, Torrington Bearing	
ROLCS2020	Red Series, Big Block 396-454, Torrington Bearing	
<b>Chevrolet Big Block 396-454</b>		
ROLCS2040	Gold Series With Torrington Bearing	
<b>Ford Small Block 289-351W</b>		
ROLCS3031	1962-84, Gold Series With Torrington Bearing	
ROLCS3130	Cleveland, Gold Series With Torrington Bearing	
<b>Ford Big Block 429-460</b>		
ROLCS4020	Gold Series With Torrington Bearing	
<b>Chrysler</b>		
ROLCS5140	Red Series, Big Block 383-440, Torrington Bearing	



## 3-D H-Beam Connecting Rods

The strength and durability that racing demands at budget price. Forged rods are sized and finished in the U.S.A. and fitted with ARP 7/16", 190,000 PSI cap screw bolts. Rods feature precision alignment sleeves to positively locate the rod cap, ensuring big end bore size and eliminating cap walk. Sold in weight matched sets of eight.

Part No.	Center-to-Center Length	Crank Pin Dia.	Price
<b>SB Chevy</b>			
EAGCRS5700B3D	5.700"	2.100"	
EAGCRS6000B3D	6.000"	2.100"	
<b>BB Chevy</b>			
EAGCRS63853D	6.385"	2.200"	
EAGCRS61353D	6.135"	2.200"	
<b>Chrysler</b>			
EAGCRS6760B3D	6.760"	.900"	



## LSXR 102mm Intake Manifolds For LS3 and LS7

Designed for LS7 raised rectangle port heads, the LSXR can add up to 16 or more horses to stock engines and upwards of 26 rear wheel horsepower on larger displacement engines. A three-piece, modular design, the manifold has removable runners for easy disassembly and porting and the 102mm throttle body intake diameter works with 90, 92 and 102mm bodies. Made of advanced polymer material that is strong, light and easily modified.



Part No.	Description	Price
FST146102	LSXR LS7 102mm Intake	
FST146202	LSXR LS3 102mm Intake	

## Dual Sensor Digital Air/Fuel Meter

### FST170402

Fast Dual Sensor Digital A/F Meter gives tuners the power to read two wide-band O2 sensors individually or average them together for maximum accuracy of engines air/fuel ratio reading. The F.A.S.T. Air/Fuel Meter includes several enhanced capabilities, including built-in data logging, play-back recorded information on a lighted, full graphical display screen rather than using a laptop computer. Additional features include external outputs for data loggers, digital gauges, narrow band function to use the factory computer signal while using the wide-band sensor. Air/Fuel Meters include oxygen sensor, 12' cable and complete instructions. Valuable, optional RPM input module (FST170536) allows monitoring engine RPM simultaneously with air/fuel ratios.



## LSX 92mm Intake Manifold

### FST146302

Polymer manifolds have enlarged throttle body openings, improved sealing flanges, O-ring gaskets and nitrous bungs. Ideal for street or racing, manifolds fit GM LS1/LS2/LS6 series Gen. III engines and offer significant gains in horsepower and torque without sacrificing low RPM torque and driveability. Three-piece modular design eases porting and accepts F.A.S.T. Big Mouth 102mm throttle bodies.







## Penske 7150 Steel Shocks

The 7150 series gas shock is the latest in short track offering from Penske Racing Shocks. The simplified design, advance coatings, and high quality materials provide ultimate tuning options, reliability, with a competitive advantage. IMCA approved steel components, twin gas chamber with low friction floating pin, electro less nickel plated parts, Penske quality chrome plated shaft, roller burnished bore for low friction and repeatability, utilizes Penske standard 55mm bore pistons. Available in standard Schrader valve or externally sealed gas valve. Sold individually.



Part No.	Stroke	Overall Length	Schrader Valve	Price
<b>Penske 7150 Schrader Valve Shocks</b>				
PENPS-7157-3/3	6.75"	19.5"	3/3	
PENPS-7157-3/7	6.75"	19.5"	3/7	
PENPS-7157-3/8	6.75"	19.5"	3/8	
PENPS-7157-3/10	6.75"	19.5"	3/10	
PENPS-7157-4/4	6.75"	19.5"	4/4	
PENPS-7157-5/3	6.75"	19.5"	5/3	
PENPS-7157-5/5	6.75"	19.5"	5/5	
PENPS-7159-3/3	8.75"	24.0"	3/3	
PENPS-7159-3/5	8.75"	24.0"	3/5	
PENPS-7159-3/6	8.75"	24.0"	3/6	
PENPS-7159-4/4	8.75"	24.0"	4/4	
PENPS-7159-4/6	8.75"	24.0"	4/6	
PENPS-7159-8/2	8.75"	24.0"	8/2	
PENPS-7159-8/3	8.75"	24.0"	8/3	
PENPS-7159-10/2	8.75"	24.0"	10/2	
<b>Penske 7150 Externally Sealed Valve Shocks</b>				
PENPS-7157-3/3-S	6.75"	19.5"	3/3	
PENPS-7157-3/7-S	6.75"	19.5"	3/7	
PENPS-7157-3/8-S	6.75"	19.5"	3/8	
PENPS-7157-3/10-S	6.75"	19.5"	3/10	
PENPS-7157-4/4-S	6.75"	19.5"	4/4	
PENPS-7157-5/3-S	6.75"	19.5"	5/3	
PENPS-7157-5/5-S	6.75"	19.5"	5/5	
PENPS-7159-3/3-S	8.75"	24.0"	3/3	
PENPS-7159-3/5-S	8.75"	24.0"	3/5	
PENPS-7159-3/6-S	8.75"	24.0"	3/6	
PENPS-7159-4/4-S	8.75"	24.0"	4/4	
PENPS-7159-4/6-S	8.75"	24.0"	4/6	
PENPS-7159-8/2-S	8.75"	24.0"	8/2	
PENPS-7159-8/3-S	8.75"	24.0"	8/3	
PENPS-7159-10/2-S	8.75"	24.0"	10/2	



## Pro-Line 2500 Powerglide Transmission

TSI2512-2500

Well suited to popular bracket racing applications with up to 1,150 horsepower, the Pro-Line 2500 transmission features a virtually unbreakable 9310 steel 1.80 straight cut gear set fitted to the OEM carrier and output. Using a stock case, transmission is additionally assembled with the Pro-Line trans-brake, 300M hardened input, 8-clutch high gear drum with high strength steel clutch hub, high flow oil pump and a deep aluminum pan.



## Trans Brake Kit Pro-Lite Powerglide TSI2514



## Carburetor Kits

AED Carburetor Kits are ideal for rebuilding Holley 4150, 4160 and 4500 series carburetors. Ultimate Performance Kits include all non-stick float bowl, metering block and miscellaneous gaskets, accelerator pump diaphragms, high flow .110" needle and seat assemblies, nylon reusable bowl screw gaskets and small parts to rebuild carburetor.



Part No.	Description	Price
AED2300	Holley 350-500 CFM 2BBL Kit	
AED4150	Holley 390-950 CFM Double Pumper Kit	
AED4160	Holley 600-950 CFM Vac. Secondary Kit	
AED4500	Holley 750-1250 CFM 4500 Dominator Kit	



## SFI-Approved Lightweight Steel Bellhousings

Spun steel bellhousings are light and extremely strong. Work hardened to over 80,000 PSI, they will maintain their rigidity to prevent horsepower loss and excessive wear. Bellhousings meet stringent SFI 6.1 specifications and include inspection cover, pivot ball and grade 8 hardware.



Part No.	Engine	Clutch	Transmission	Weight	Price
QTMRM-6010	SB/BB Chevy, 153-T	10.5" Dia., Internal Hyd. Only	Jerico/B-W T-10/TKO 500/600	18 lbs.	
QTMRM-6022	SB/BB Chevy, 153/168-T	11" Dia., LH Clutch Fork/Hyd. Rel. Bearing	Jerico/BW-T-10/TKO 500/600	22 lbs.	
QTMRM-6036	Chevy LS, 153/168-T	11" Dia., LH Clutch Fork/Hyd. Rel. Bearing	Jerico/BW-T10/TKO 500/600	22 lbs.	
QTMRM-6060	SB Ford 302-351W, 351C, 157-T	10.5" Dia., Mech. Fork Linkage	T-5 Mustang/TKO 500/600/TR 3550	20 lbs.	
QTMRM-8020*	GM LS	11" Dia., Mech. Fork Linkage	LS1/T-56/T-56 Magnum	22 lbs.	

\* Bellhousing eliminates hydraulic clutch, using Chevy push style clutch fork.



## Pro Sport Fuel Cells

Pro Sport Fuel Cell features include; seamless cross-linked polyethylene inner shell, 20-gauge welded steel container powder coated red or black, 12-bolt zinc-plated filler plate with D-ring bail handle cap spring loaded flapper fill valve assembly, -8AN fuel pickup, -8AN tip over valve vent and pickup hose routed to tight rear corner. Available with or without aviation safety foam.



Part No.	Gallon	Description	Size	Price
JAZ277-008-06	8-Gallon	Red Fuel Cell with Flapper	20.5"L x 15.25"W x 8.5"H	
JAZ277-012-01	12-Gallon	Black Fuel Cell with Flapper	18"L x 16.5"W x 10.5"H	
JAZ277-012-06	12-Gallon	Red Fuel Cell with Flapper	18"L x 16.5"W x 10.5"H	
JAZ277-012-NF	12-Gallon	Red Fuel Cell with Flapper, without-Foam	18"L x 16.5"W x 10.5"H	
JAZ277-012-NF1	12-Gallon	Black Fuel Cell with Flapper, without-Foam	18"L x 16.5"W x 10.5"H	
JAZ277-016-01	16-Gallon	Black Fuel Cell with Flapper	26"L x 18"W x 9.5"H	
JAZ277-016-06	16-Gallon	Red Fuel Cell, with Flapper	26"L x 18"W x 9.5"H	
JAZ277-016-NF	16-Gallon	Red Fuel Cell with Flapper, without Foam	26"L x 18"W x 9.5"H	
JAZ277-016-NF1	16-Gallon	Black Fuel Cell with Flapper, without Foam	26"L x 18"W x 9.5"H	
JAZ277-222-01	22-Gallon	Black Fuel Cell with Flapper	25.75"L x 17.25"W x 14.5"H	
JAZ277-222-06	22-Gallon	Red Fuel Cell, with Flapper	25.75"L x 17.25"W x 14.5"H	





## Heavy-Duty Adjustable Cable And Quadrant Kits

Kits are available with an adjustable fenderwell unit. Precisely adjust clutch to eliminate sticky shifts and hard-to-find reverse gear.




Part No.	Description	Price
BBK1505	1979-95 Mustang GT and Cobra w/5-Speed	
BBK16095	1996-03 Mustang With Fenderwell Adjuster	

## 1-5/8" Shorty Headers

BBK1515

For 1986-93 Mustang 5.0L. Chrome headers are mandrel bent heavy gauge tubing.



## Full Length Headers

Full length headers are silver ceramic coated and 304 stainless steel construction for late model Mustang V8 and V6 applications.



Part No.	Description	Price
BBK15410	1996-04 Mustang GT, 1-5/8"	
BBK16410	2005-10 Mustang GT, 1-3/4"	

## High-Performance Underdrive Pulley Systems

BBK1553

Bolt-on 10-15 horsepower in under 30 minutes. Computer-machined aluminum alloy systems deliver full charging. Fits 1979-93 5.0 Mustang/Capri, 3-piece kit.



## Cold Air Induction Systems

One of today's favorite performance bolt-ons, cold air induction systems deliver real world horsepower gains and great looks.



Part No.	Description	Price
BBK1557	Chrome, 1986-93 5.0L Mustang	
BBK1718	Chrome, 1996-04 4.6L Mustang GT	

## 255 LPH In-Tank GM F-Body Electric Fuel Pump

BBK1630

255 LPH OEM Style GM F-Body high-volume electric fuel pump is a direct replacement in-tank fuel pump delivering over 50 GPH at 70 PSI for additional fuel supply for high performance engine modifications. Fits 1985-91 GM F-Body, Camaro and Firebird applications.



## 255 LPH OEM-Style Electric Fuel Pump Kit

BBK1607

Fits 1986-97 Mustang V8. A must for turbo and nitrous models. Kit includes a new strainer assembly. Easy to install.



## O2 Sensor Wire Extension Kit

BBK1676

For 1986-04 V8 Mustang, pair.



## Adjustable Fuel Regulator

BBK1706

Regulators fit 1986-93 5.0L Ford engines and is made of billet aluminum with a long-life blue anodized finish. Precision diaphragm design allows full adjustment.



## Torque Converters

Part No.	Description	Price
BMM20400	TH350/TH400 Tork Master 2000 Torque Converter	
BMM20402	TH350/TH400 Tork Master 3000 Torque Converter	
BMM20404	TH350/TH400 Tork Master 2400 Torque Converter	
BMM20412	TH350 & TH400 Holeshoot 2400 Torque Converter	
BMM20413	TH350/TH400 Super Holeshoot 3000 Torque Converter	
BMM20416	TH350/TH400 Holeshoot 2000 Torque Converter	



## Speedometer Recalibration Driven Gear

STD392-STE-17271-D

STD392-STE-17271-J

Used for speedometer recalibration when differential gear ratios have been changed.



Part No.	Description	Gear Ratio
STD392-STE-17271-D	Manual Trans., 7-Tooth Drive Gear, 1983-89 V8, 1996-98 Cobra 5-Speed, Tremec TR-3550 And TKO	4.10
	Manual Trans., 8-Tooth Drive Gear, 1990-98 5-Speed (Except 1996-98 Cobra)	3.55 & 3.73
STD392-STE-17271-J	Auto Trans., 7-Tooth Drive Gear, 1983-89	4.10
	Auto Trans., 8-Tooth Drive Gear, 1990-98	3.55 & 3.73

## Heavy Duty Rear Control Arms

Control arms prevent wheel hop for better traction. Arms have polyurethane bushings. Sold in pairs, unless specified.



Part No.	Description	Price
<b>1979-04 Mustang Components</b>		
STD555-4100	Rear Control Arms With Polyurethane Bushings	
STD555-4103	Spherical Upper Control Arm Bearings	
<b>2005-09 Mustang Components</b>		
STD555-4405	Billet Aluminum Lower Control Arms	

## Full Length Subframe Connectors

STD555-5245

Subframe connectors run the entire length of the floor pan, improving chassis strength. Heavy duty, 1-1/4" x 2" connectors incorporate built-in reinforcing gussets to increase strength and reduce welding. Fits all 1979-04 Mustangs.



## Clutch Quadrant, Cable And Adjuster Package

Quadrant is compatible with firewall adjusters and cables. Cable can be adjusted at the bellhousing or the firewall for smooth clutch operation.



Part No.	Description	Price
STD555-7040	1982-95 Mustang	
STD555-7041	1096-04 Mustang	

## Tri-Ax Shifters

CNC-machined aluminum shifters have positive stops, two-position height adjustment and exclusive BootGuard to protect the stock inner shift boot. Revised pivot shortens throw without sacrificing comfort.



Part No.	Description	Price
STD555-7153	Tri-Ax Shifter Handle, Only	
STD555-7353	1983-01.5 Mustang, T-5/T-45 Transmission	

## 3-Bolt Caster/Camber Plates

STD555-8094-3

TIG-welded, nickel plated plates allow precise caster and camber adjustment. Spherical bearings maintain precise alignment in all driving conditions. Each pair includes hardware and instructions.



## X2 Ball Joints


STD555-8101

Ideal for lowered 1994-04 Mustangs, custom length ball joints raise the roll center, enhance handling and reduce body roll. Oversized sway bars and/or increased spring rates are not needed. Steeda bump steer kit is recommended.



## Mustang Bumpsteer Kits

Kits replace stock outer tie rods to keep car straight and improve elapsed times. Prevents bumpsteer caused by changes in toe-in during suspension movement. Kit includes two each spherical rod ends, heat treated alloy steel shafts, CNC-machined aluminum collars and a shim assortment.



Part No.	Description	Price
STD555-8104	1999-04 Bumpsteer Kit, Blue	
STD555-8105	1979-04 Bumpsteer Kit, Manual Steering Rack, Red	
STD555-8106	2005-13 Bumpsteer Kit, Blue	

## Underdrive Pulleys

STD701-0005A

Billet steel pulleys for 2005-10 Mustang GT (4.6L) slow belt-driven accessories by 25% for a gain of 8-10 horsepower. Three-piece set includes hardware for installation.







## GM 160°F Thermostats



Part No.	Description	Price
SLP100223	LS1 1997-03 Corvette/1998-02 Camaro/Firebird/1997-03 4.8/5.3/6.0 Silverado/Sierra/SUV	
SLP100228	2004-06 LS1/LS2 GT0, 2004-07 LS1/LS2/LS7 Corvette, 2004-06 4.8/5.3/6.0L Silverado/Sierra/SUV and 2007 Silverado/Sierra Classic	
SLP100229	2010-11 LS3/L99 Camaro/2009-11 LS3/LS7 Corvette/2009-1/2 L76 G8/2009 G8 GXP/2007-11 4.8/5.3/6.0/6.2 Silverado/Sierra/SUV 900 Series and the 2007-09 Trailblazer SS	

## Harmonic Balancer/Underdrive Pulley

SLP100225

The SLP performance harmonic balancer for 1997-12 LS1/LS6/LS2 Corvette incorporates a number of high quality features; 25% underdrive pulley, 100% steel construction, laser etched timing marks, keyed for high RPM or supercharged applications, no aftermarket tensioner required, includes nee balancer bolts.



## GM Underdrive Pulley/ Harmonic Balancer

SLP100230A

Lightweight steel, 25% underdrive balancer fits all 2010-11 Chevy Camaro L99/LS3 V8 and adds 4.9 dyno-proven horsepower. Features extra-tall belt retention walls that eliminate belt slippage. Balancer includes integral timing marks and puller-mounting threads. Also fits 1999-2007 Silverado/Sierra/Classic/SUV 4.8/5.3/6.0L; 2007-11 Silverado/Sierra/SUV 4.8/5.3/6.0/6.2L and 2006-09 Trailblazer SS. Sold complete with balancer bolt. Requires two new belts, sold separately.



## Hemi Underdrive Pulley/Harmonic Balancer

SLP100235

Add up to 9 dyno-proven horsepower to 2005-10 Dodge 5.7/6.1 Hemi-powered vehicles. Lightweight steel balancer features a 25% underdrive design and includes extra tall belt retention walls to put an end to belt slippage. Balancer includes integral timing marks and puller-mounting threads. Fits all 2005-08 Dodge Charger/Magnum and Chrysler 300C 5.7/6.1L, and 2009-10 Dodge Challenger 6.1L. Meets stringent SFI specifications.

**Note:** Requires new belt, Dayco 6PK2025 or equivalent.



## Skip Shift Eliminator

SLP21008



Dump the annoying first-to-fourth "skip-shift" in the 6-speed Camaro, Firebird, and Corvette with SLP's Skip-Shift Eliminator. This plug-in piece requires no additional modifications. Take complete control over gear selection. Fits 1994-02 and 2010 Camaro and 1994-02 Firebird.

## Air Box Lids



Eliminate restrictive stock baffles and resonator and the air flow is significantly improved for up to 10 additional horsepower at the rear wheels. Bolt-on installation.

Part No.	Description	Price
SLP21044	1998-99 Camaro/Firebird Air Box Lid	
SLP21045	2000-02 Camaro/Firebird Air Box Lid	

## High-Flow Bellows

SLP23065

SLP smooth bellows for LS1 F-body vehicles increase horsepower! This piece increases up to 6 HP. A single rib design allows adequate flex with minimal restriction. Constructed from high-quality fiberglass-reinforced silicone.



## GM LS1 Heavy Duty Oil Pump

SLP55001

SLP has developed a ported and blueprinted pump that's virtually bulletproof under the most severe racing conditions.



**STOCKING  
PART NUMBERS ONLY**



## 3/8" x .080" Wall Pushrods

Your Choice -

Available in Lengths from 7.500"-11.100" in .025" and some .025" increments.

## 3/8" x.135" Wall Pushrods With .210" Radius Tips

Your Choice -

Available in Lengths from 7.800"-9.750" in .050" increments.



## American Thunder And Force II™ Exhaust Systems

For the serious enthusiast looking for the performance benefits of a axle-back or cat-back exhaust system. American Thunder systems offer an aggressive exterior sound and a moderate interior tone. The Force II System is perfect for customers looking for some level of performance tone enhancement, but concerned about installing a system that is too aggressive for daily driving. Mandrel bent systems are offered in aluminized steel or 409 stainless steel construction. Outlaw systems are most aggressive sounding systems available.

Model	Years	Pipe Dia. In/Out	American Thunder	Price	Force II	Price	OutLaw	Price	Tailpipe Exit Location
<b>Ford</b>									
Mustang GT/Cobra 4.6L/5.0L	1994-97	2-1/2"	FL017112		-		-		<b>DOR</b>
		2-1/2"	FL017212 <sup>1</sup>						
Mustang GT/Cobra 4.6L	1998	2-1/2"	FL017215 <sup>1</sup>		-		-		<b>DOR</b>
Mustang GT 4.6L	1999-04	2-1/2"/3"	FL017312 <sup>1</sup>		FL017267 <sup>1</sup>		-		<b>DOR</b>
			FL0817312 <sup>7</sup>						
Mustang Cobra	1999-04	2-1/2"/2-1/2"	FL017248		-		-		<b>DOR</b>
Mustang GT	2005-10	2-1/2"	FL017410		-		-		<b>DOR</b>
			FL0817410 <sup>7</sup>						
Mustang, Axle-Back	2005-10	2-1/2"	FL0817460 <sup>7</sup>		-		-		<b>DOR</b>
Mustang 4.0L, V6, Axle-Back	2005-09	2-1/2"	FL017421		-		-		<b>DOR</b>
			FL0817421 <sup>7</sup>						
Mustang (GT 5.0L / GT 5.4L V8), Axle-Back	2011-12	3"	FL0817496 <sup>7</sup>		-		-		<b>DOR</b>
Mustang 3.7L, V6, Axle-Back	2011-12	3"	-		FL0817497 <sup>7</sup>		-		<b>DOR</b>
Mustang GT 5.0L	2013-14	3"	FL0817587 <sup>7</sup>		-		-		<b>DOR</b>
Mustang GT 5.0L, Axle-Back	2013-14	2-3/4"/3"	FL0817588 <sup>7</sup>		-		-		<b>DOR</b>
Mustang GT 5.0L, Axle-Back	2013-14	2-1/2"/3"	-		FL0817591 <sup>7</sup>		-		<b>DOR</b>
<b>GM</b>									
Camaro V8	1993-95	3"/3"	FL017143 <sup>3</sup>		-		-		<b>DOR</b>
Camaro V8	1995-97	3"/3"	FL017133 <sup>3</sup>		-		-		<b>DOR</b>
Camaro V8	1998-02	3"/3"	FL017199 <sup>1,3</sup>		-		-		<b>DOR</b>
Camaro V8 6.2L	2010-13	3"/3"	FL0817481 <sup>5,4</sup>		-		-		<b>DOR</b>
Camaro V8 6.2L	2010-13	3"/3"	FL0817487 <sup>6,4</sup>		-		-		<b>DOR</b>
Camaro V8 6.2L	2010-13	3"/3"	-		-		FL0817556 <sup>5</sup>		<b>DOR</b>
Camaro, 3.6L, V6, Axle-Back	2010-13	2-1/2"	-		FL0817483 <sup>4</sup>		-		<b>DOR</b>
Camaro, 6.2L, V8, Axle-Back	2010-13	2-1/2"	-		FL0817495 <sup>4</sup>		-		<b>DOR</b>
Camaro, 6.2L, V8, Axle-Back	2010-13	2-1/2"	FL0819106 <sup>4,2</sup>		-		-		<b>DOR</b>
Camaro, 6.2L, V8, Axle-Back	2010-13	2-1/2"	FL0819107 <sup>4,2</sup>		-		-		<b>DOR</b>
Camaro, 6.2L, V8, Axle-Back	2010-13	2-1/2"	-		-		FL0817504 <sup>1,8</sup>		<b>DOR</b>

### Footnotes:

**1: Stainless tips**

**2: AMT Pro Series**

**3: Single 3" in, dual 3" out**

**4: 409 Stainless Steel**

**5: Will Not Fit With GFX Ground Effects Package or Convertible**

**6: Will fit with GFX Ground Effects Package but Not Convertible**

**7: 409 Stainless Steel 8: Fits Convertibles but will not fit with GFX Ground Effects Package**

### Tailpipe Exit Key:

**DOR: Dual outlet, rear exit**





## Rear End Station Brackets

ALL10178

Stand adapter brackets fasten to adjustable arms of most engine stands.



## Triangle Window Net

ALL10246

Originally designed for sprints and midgets but also works well on dirt late models and modifieds when wrap-around ends are needed. Meets SFI 37.1 specs.



## Caster Plate

ALL10752

An excellent inexpensive option to turn plates when adjusting caster settings on race cars. Quick reference gauge positions under the upper ball joint nut, with markings facing up, to easily view.



## Specialty Wrenches

Specialty wrenches for hard-to-reach areas.



Part No.	Description	Price
ALL11190	Upper Ball Joint	
ALL11192	Short Panhard Bar 1-3/8"	

## Bumper Hookup Kit

ALL22315


Kit mounts through the nose and around the bumper for easy wrecker hook-ups. Includes 3 ft. of coated cable and two clamps.



## Door Bar Padding

ALL14115


Closed cell padding adds protection from hard surfaces inside a race car. Sold in 36" x 48" sheets, 3/4" thick.



## Quick Turn Starter Kit

ALL19410

Kit includes different lengths of Allstar's most popular oval head 7/16" fasteners (five ALL19280 and five ALL19286), 10 ALL19330 springs and 25 multi-grip rivets.



## Quick Turn Spring Adjuster

ALL19405


A must when adjusting tension of quick turn springs.



## MSD Box Mount

ALL81330

Provides a quick release method for replacing MSD6420, 6425, 6430 and other ignition boxes with 7-1/2" x 3-1/2" center to center mounting.



## Rod And Piston Holder

ALL96478

Safely support pistons and connecting rod assemblies during engine teardown or assembly. Slots are 4-3/4" x 1-1/2" wide to accommodate most combinations. Assembled holder measures 24" x 12" x 9-1/2" tall.



## Aero Scoop With Round Front

ALL23280

Fiberglass scoop with open back has a 2" wide mounting flange. 13-1/2" tall x 50" long x 15-1/2" wide overall.



## Brake Bias Adjuster With Reference Pointer

ALL42076

Long style adjuster with knob can be pivoted for easy viewing and multiple applications. Includes a five foot cable that can be cut to length and 3/8"-24 threads for most standard pedal assemblies.

